

An overview of systematic reviews of measurement properties of outcome measurement instruments that intend to measure (aspects of) health status or (health-related) quality of life.

This is a complete list of all systematic reviews of measurement properties of health status outcome measurement instruments, published in PubMed or Embase.

Last update June 19, 2014 (n=560)

**CB Terwee, for the COSMIN group (www.cosmin.nl)
Department of Epidemiology and Biostatistics
VU University Medical Center
Amsterdam, the Netherlands
E-mail: cb.terwee@vumc.nl**

Reference List

- [1] Abma FI, van der Klink JJ, Terwee CB, Mick lii BC, Bultmann U. Evaluation of the measurement properties of self-reported health-related work-functioning instruments among workers with common mental disorders. *Scand J Work Environ Health* 2011.
- [2] Abramson CE, McBride KE, Konnyu KJ, Elliott SL. Sexual health outcome measures for individuals with a spinal cord injury: a systematic review. *Spinal Cord* 2008;46:320-324.
- [3] Adamis D, Sharma N, Whelan PJ, Macdonald AJ. Delirium scales: A review of current evidence. *Aging Ment Health* 2010;14:543-555.
- [4] Agarwal S, Bodurka DC. Symptom research in gynecologic oncology: a review of available measurement tools. *Gynecol Oncol* 2010;119:384-389.
- [5] Agasi-Idenburg C, Velthuis M, Wittink H. Quality criteria and user-friendliness in self-reported questionnaires on cancer-related fatigue: a review. *J Clin Epidemiol* 2010;63:705-711.
- [6] Ahmad MA, Xypnitos FN, Giannoudis PV. Measuring hip outcomes: common scales and checklists. *Injury* 2011;42:259-264.
- [7] Ahuja B, Klassen AF, Satz R et al. A review of patient-reported outcomes for children and adolescents with obesity. *Qual Life Res* 2014;23:759-770.
- [8] Al-Namankany A, de SM, Ashley P. Evidence-based dentistry: analysis of dental anxiety scales for children. *Br Dent J* 2012;212:219-222.
- [9] Albers G, Echteld MA, de Vet HC, Onwuteaka-Philipsen BD, van der Linden MH, Deliens L. Evaluation of quality-of-life measures for use in palliative care: a systematic review. *Palliat Med* 2010;24:17-37.
- [10] Alderdice F, Lynn F, Lobel M. A review and psychometric evaluation of pregnancy-specific stress measures. *J Psychosom Obstet Gynaecol* 2012;33:62-77.

- [11] Alla S, Sullivan SJ, Hale L, McCrory P. Self-report scales/checklists for the measurement of concussion symptoms: a systematic review. *Br J Sports Med* 2009;43 Suppl 1:i3-12.
- [12] Alviar MJ, Olver J, Brand C et al. Do patient-reported outcome measures in hip and knee arthroplasty rehabilitation have robust measurement attributes? A systematic review. *J Rehabil Med* 2011;43:572-583.
- [13] Ammann-Reiffer C, Bastiaenen CH, de Bie RA, van Hedel HJ. Measurement Properties of Gait-Related Outcomes in Youth With Neuromuscular Diagnoses: A Systematic Review. *Phys Ther* 2014.
- [14] Anderson K, Aito S, Atkins M et al. Functional recovery measures for spinal cord injury: an evidence-based review for clinical practice and research. *J Spinal Cord Med* 2008;31:133-144.
- [15] Andrew NE, Gabbe BJ, Wolfe R, Cameron PA. Evaluation of instruments for measuring the burden of sport and active recreation injury. *Sports Med* 2010;40:141-161.
- [16] Antonini A, Martinez-Martin P, Chaudhuri RK et al. Wearing-off scales in Parkinson's disease: critique and recommendations. *Mov Disord* 2011;26:2169-2175.
- [17] Apfelbacher CJ, Hankins M, Stenner P, Frew AJ, Smith HE. Measuring asthma-specific quality of life: structured review. *Allergy* 2011;66:439-457.
- [18] Arrington R, Cofrancesco J, Wu AW. Questionnaires to measure sexual quality of life. *Qual Life Res* 2004;13:1643-1658.
- [19] Artero EG, Espana-Romero V, Castro-Pinero J et al. Reliability of field-based fitness tests in youth. *Int J Sports Med* 2011;32:159-169.
- [20] Ashcroft DM, Wan Po AL, Williams HC, Griffiths CE. Clinical measures of disease severity and outcome in psoriasis: a critical appraisal of their quality. *Br J Dermatol* 1999;141:185-191.
- [21] Ashford S, Slade M, Malaprade F, Turner-Stokes L. Evaluation of functional outcome measures for the hemiparetic upper limb: a systematic review. *J Rehabil Med* 2008;40:787-795.
- [22] Ashford S, Turner-Stokes L. Systematic review of upper-limb function measurement methods in botulinum toxin intervention for focal spasticity. *Physiother Res Int* 2013;18:178-189.
- [23] Augustin M, Ogilvie A. Methods of outcomes measurement in nail psoriasis. *Dermatology* 2010;221 Suppl 1:23-28.
- [24] Auld M, Boyd R, Moseley GL, Johnston L. Seeing the gaps: a systematic review of visual perception tools for children with hemiplegia. *Disabil Rehabil* 2011;33:1854-1865.
- [25] Auld ML, Boyd RN, Moseley GL, Johnston LM. Tactile assessment in children with cerebral palsy: a clinimetric review. *Phys Occup Ther Pediatr* 2011;31:413-439.
- [26] Avery KN, Bosch JL, Gotoh M et al. Questionnaires to assess urinary and anal incontinence: review and recommendations. *J Urol* 2007;177:39-49.

- [27] Avina-Zubieta JA, Alarcon GS, Bischoff-Ferrari HA et al. Measurement of fatigue in systemic lupus erythematosus: A systematic review. *Arthritis Care Res* 2007;57:1348-1357.
- [28] Baker K, Cano SJ, Playford ED. Outcome measurement in stroke: a scale selection strategy. *Stroke* 2011;42:1787-1794.
- [29] Balemans AC, Fragala-Pinkham MA, Lennon N et al. Systematic review of the clinimetric properties of laboratory- and field-based aerobic and anaerobic fitness measures in children with cerebral palsy. *Arch Phys Med Rehabil* 2013;94:287-301.
- [30] Barratt H, Hamilton F, Car J, Lyons C, Layton A, Majeed A. Outcome measures in acne vulgaris: systematic review. *Br J Dermatol* 2009;160:132-136.
- [31] Barrett A, Clark M, Demuro C, Esser D. Proxy-reported questionnaires for young children with asthma: a structured review. *Eur Respir J* 2013;42:513-526.
- [32] Barrett E, McCreesh K, Lewis J. Reliability and validity of non-radiographic methods of thoracic kyphosis measurement: a systematic review. *Man Ther* 2014;19:10-17.
- [33] Barten JA, Pisters MF, Huisman PA, Takken T, Veenhof C. Measurement properties of patient-specific instruments measuring physical function. *J Clin Epidemiol* 2012;65:590-601.
- [34] Bassi F, Carr AB, Chang TL et al. Functional outcomes for clinical evaluation of implant restorations. *Int J Prosthodont* 2013;26:411-418.
- [35] Bates AS, Davis CR, Takwale A, Knepil GJ. Patient-reported outcome measures in nonmelanoma skin cancer of the face: a systematic review. *Br J Dermatol* 2013;168:1187-1194.
- [36] Bausewein C, Farquhar M, Booth S, Gysels M, Higginson IJ. Measurement of breathlessness in advanced disease: a systematic review. *Respir Med* 2007;101:399-410.
- [37] Beck CT. Secondary traumatic stress in nurses: a systematic review. *Arch Psychiatr Nurs* 2011;25:1-10.
- [38] Benfer KA, Weir KA, Boyd RN. Clinimetrics of measures of oropharyngeal dysphagia for preschool children with cerebral palsy and neurodevelopmental disabilities: a systematic review. *Dev Med Child Neurol* 2012;54:784-795.
- [39] Beskind DL, Keim SM, Spaite DW et al. Risk adjustment measures and outcome measures for prehospital trauma research: recommendations from the emergency medical services outcomes project (EMSOP). *Acad Emerg Med* 2011;18:988-1000.
- [40] Bialocerkowski A, O'shea K, Pin TW. Psychometric properties of outcome measures for children and adolescents with brachial plexus birth palsy: a systematic review. *Dev Med Child Neurol* 2013;55:1075-1088.
- [41] Bialocerkowski AE, Grimmer KA, Bain GI. A systematic review of the content and quality of wrist outcome instruments. *Int J Qual Health Care* 2000;12:149-157.

- [42] Bijkerk CJ, de Wit NJ, Muris JW, Jones RH, Knottnerus JA, Hoes AW. Outcome measures in irritable bowel syndrome: comparison of psychometric and methodological characteristics. *Am J Gastroenterol* 2003;98:122-127.
- [43] Bingener J, Ghahfarokhi LS, Skaran P, Sloan J. Responsiveness of quality of life instruments for the comparison of minimally invasive cholecystectomy procedures. *Surg Endosc* 2013;27:2446-2453.
- [44] Birken CS, Parkin PC, Macarthur C. Asthma severity scores for preschoolers displayed weaknesses in reliability, validity, and responsiveness. *J Clin Epidemiol* 2004;57:1177-1181.
- [45] Boakye M, Harkema S, Ellaway PH, Skelly AC. Quantitative testing in spinal cord injury: overview of reliability and predictive validity. *J Neurosurg Spine* 2012;17:141-150.
- [46] Boger EJ, Demain S, Latter S. Self-management: a systematic review of outcome measures adopted in self-management interventions for stroke. *Disabil Rehabil* 2013;35:1415-1428.
- [47] Bolier EA, Kessing BF, Smout AJ, Bredenoord AJ. Systematic review: questionnaires for assessment of gastroesophageal reflux disease. *Dis Esophagus* 2013.
- [48] Bonomi AE, Shikier R, Legro MW. Quality-of-life assessment in acute, chronic, and cancer pain: a pharmacist's guide. *J Am Pharm Assoc (Wash)* 2000;40:402-416.
- [49] Bot SD, Terwee CB, van der Windt DA, Bouter LM, Dekker J, de Vet HC. Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. *Ann Rheum Dis* 2004;63:335-341.
- [50] Bouchard S, Pelletier MH, Gauthier JG, Cote G, Laberge B. The assessment of panic using self-report: a comprehensive survey of validated instruments. *J Anxiety Disord* 1997;11:89-111.
- [51] Bouillon K, Kivimaki M, Hamer M et al. Measures of frailty in population-based studies: an overview. *BMC Geriatr* 2013;13:64.
- [52] Bowling A, Rowe G, Adams S et al. Quality of life in dementia: a systematically conducted narrative review of dementia-specific measurement scales. *Aging Ment Health* 2014;1-19.
- [53] Boyce WF, Gowland C, Rosenbaum PL et al. Measuring quality of movement in cerebral palsy: a review of instruments. *Phys Ther* 1991;71:813-819.
- [54] Branski RC, Cukier-Blaj S, Pusic A et al. Measuring Quality of Life in Dysphonic Patients: A Systematic Review of Content Development in Patient-Reported Outcomes Measures. *J Voice* 2009.
- [55] Brearley SG, Clements CV, Molassiotis A. A review of patient self-report tools for chemotherapy-induced nausea and vomiting. *Support Care Cancer* 2008.
- [56] Bright E, Drake MJ, Abrams P. Urinary diaries: Evidence for the development and validation of diary content, format, and duration. *Neurourol Urodyn* 2011;30:348-352.

- [57] Brinkkemper T, van Norel AM, Szadek KM, Loer SA, Zuurmond WW, Perez RS. The use of observational scales to monitor symptom control and depth of sedation in patients requiring palliative sedation: A systematic review. *Palliat Med* 2011.
- [58] Brons S, van Beusichem ME, Bronkhorst EM et al. Methods to quantify soft-tissue based facial growth and treatment outcomes in children: a systematic review. *PLoS One* 2012;7:e41898.
- [59] Brooks SJ, Kutcher S. Diagnosis and measurement of anxiety disorder in adolescents: a review of commonly used instruments. *J Child Adolesc Psychopharmacol* 2003;13:351-400.
- [60] Brouwer CN, Maille AR, Rovers MM, Grobbee DE, Sanders EA, Schilder AG. Health-related quality of life in children with otitis media. *Int J Pediatr Otorhinolaryngol* 2005;69:1031-1041.
- [61] Bryce TN, Budh CN, Cardenas DD et al. Pain after spinal cord injury: an evidence-based review for clinical practice and research. Report of the National Institute on Disability and Rehabilitation Research Spinal Cord Injury Measures meeting. *J Spinal Cord Med* 2007;30:421-440.
- [62] Buck D, Jacoby A, Massey A, Ford G. Evaluation of measures used to assess quality of life after stroke. *Stroke* 2000;31:2004-2010.
- [63] Buffart LM, Roebroek ME, Pesch-Batenburg JM, Janssen WG, Stam HJ. Assessment of arm/hand functioning in children with a congenital transverse or longitudinal reduction deficiency of the upper limb. *Disabil Rehabil* 2006;28:85-95.
- [64] Bullinger M, Globe D, Wasserman J, Young NL, von MS. Challenges of patient-reported outcome assessment in hemophilia care-a state of the art review. *Value Health* 2009;12:808-820.
- [65] Burgess P, Pirkis J, Coombs T, Rosen A. Assessing the value of existing recovery measures for routine use in Australian mental health services. *Aust N Z J Psychiatry* 2011;45:267-280.
- [66] Cagney KA, Wu AW, Fink NE et al. Formal literature review of quality-of-life instruments used in end-stage renal disease. *Am J Kidney Dis* 2000;36:327-336.
- [67] Carlon S, Shields N, Yong K, Gilmore R, Sakzewski L, Boyd R. A systematic review of the psychometric properties of Quality of Life measures for school aged children with cerebral palsy. *BMC Pediatr* 2010;10:81.
- [68] Carlton J, Kaltenthaler E. Health-related quality of life measures (HRQoL) in patients with amblyopia and strabismus: A systematic review. *Br J Ophthalmol* 2011;95:325-330.
- [69] Carnevale T. An integrative review of adolescent depression screening instruments: applicability for use by school nurses. *J Child Adolesc Psychiatr Nurs* 2011;24:51-57.
- [70] Castelino M, Abbott J, McElhone K, Teh LS. Comparison of the psychometric properties of health-related quality of life measures used in adults with systemic lupus erythematosus: a review of the literature. *Rheumatology (Oxford)* 2013;52:684-696.

- [71] Castrejon I, Silva-Fernandez L, Bombardier C, Carmona L. Clinical composite measures of disease activity for diagnosis and followup of undifferentiated peripheral inflammatory arthritis: a systematic review. *J Rheumatol Suppl* 2011;87:48-53.
- [72] Cavelti M, Kvrjic S, Beck EM, Kossowsky J, Vauth R. Assessing recovery from schizophrenia as an individual process. A review of self-report instruments. *Eur Psychiatry* 2012;27:19-32.
- [73] Cemal Y, Jewell S, Albornoz CR, Pusic A, Mehrara BJ. Systematic review of quality of life and patient reported outcomes in patients with oncologic related lower extremity lymphedema. *Lymphat Res Biol* 2013;11:14-19.
- [74] Chandratre P, Roddy E, Clarson L, Richardson J, Hider SL, Mallen CD. Health-related quality of life in gout: a systematic review. *Rheumatology (Oxford)* 2013;52:2031-2040.
- [75] Chang KW, Justice D, Chung KC, Yang LJ. A systematic review of evaluation methods for neonatal brachial plexus palsy. *J Neurosurg Pediatr* 2013.
- [76] Charman C, Williams H. Outcome measures of disease severity in atopic eczema. *Arch Dermatol* 2000;136:763-769.
- [77] Chassany O, Holtmann G, Malagelada J, Gebauer U, Doerfler H, Devault K. Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. *Aliment Pharmacol Ther* 2008;27:1053-1070.
- [78] Che HJ, Burr JM, Ramsay CR, zuara-Blanco A, Prior M. Choosing appropriate patient-reported outcomes instrument for glaucoma research: a systematic review of vision instruments. *Qual Life Res* 2011;20:1141-1158.
- [79] Chen CM, Cano SJ, Klassen AF et al. Measuring quality of life in oncologic breast surgery: a systematic review of patient-reported outcome measures. *Breast J* 2010;16:587-597.
- [80] Chien CW, Rodger S, Copley J, McLaren C. Measures of participation outcomes related to hand use for 2- to 12-year-old children with disabilities: a systematic review. *Child Care Health Dev* 2014;40:458-471.
- [81] Chong DK. Measurement of instrumental activities of daily living in stroke. *Stroke* 1995;26:1119-1122.
- [82] Chopra I, Kamal KM. A systematic review of quality of life instruments in long-term breast cancer survivors. *Health Qual Life Outcomes* 2012;10:14.
- [83] Chow MY, Morrow AM, Cooper Robbins SC, Leask J. Condition-specific quality of life questionnaires for caregivers of children with pediatric conditions: a systematic review. *Qual Life Res* 2013;22:2183-2200.
- [84] Clanchy KM, Tweedy SM, Boyd R. Measurement of habitual physical activity performance in adolescents with cerebral palsy: a systematic review. *Dev Med Child Neurol* 2011;53:499-505.
- [85] Clark TJ, Khan KS, Foon R, Pattison H, Bryan S, Gupta JK. Quality of life instruments in studies of menorrhagia: a systematic review. *Eur J Obstet Gynecol Reprod Biol* 2002;104:96-104.

- [86] Clarke DE, Ko JY, Kuhl EA, van RR, Salvador R, Marin RS. Are the available apathy measures reliable and valid? A review of the psychometric evidence. *J Psychosom Res* 2011;70:73-97.
- [87] Clayson DJ, Wild DJ, Quarterman P, Duprat-Lomon I, Kubin M, Coons SJ. A comparative review of health-related quality-of-life measures for use in HIV/AIDS clinical trials. *Pharmacoeconomics* 2006;24:751-765.
- [88] Cleemput I, Dobbels F. Measuring patient-reported outcomes in solid organ transplant recipients: an overview of instruments developed to date. *Pharmacoeconomics* 2007;25:269-286.
- [89] Cleland J, Gillani R, Bienen EJ, Sadosky A. Assessing dimensionality and responsiveness of outcomes measures for patients with low back pain. *Pain Pract* 2011;11:57-69.
- [90] Clinton-McHarg T, Carey M, Sanson-Fisher R, Shakeshaft A, Rainbird K. Measuring the psychosocial health of adolescent and young adult (AYA) cancer survivors: a critical review. *Health Qual Life Outcomes* 2010;8:25.
- [91] Coffin B, Causse C. Constipation assessment scales in adults: a literature review including the new Bowel Function Index. *Expert Rev Gastroenterol Hepatol* 2011;5:601-613.
- [92] Colosimo C, Martinez-Martin P, Fabbrini G et al. Task force report on scales to assess dyskinesia in Parkinson's disease: critique and recommendations. *Mov Disord* 2010;25:1131-1142.
- [93] Connell L, Tyson S. Measures of sensation in neurological conditions: a systematic review. *Clin Rehabil* 2012;26:68-80.
- [94] Connell LA, Tyson SF. Clinical reality of measuring upper-limb ability in neurologic conditions: a systematic review. *Arch Phys Med Rehabil* 2012;93:221-228.
- [95] Conway A, Page K, Rolley JX, Worrall-Carter L. A review of sedation scales for the cardiac catheterization laboratory. *J Perianesth Nurs* 2014;29:191-212.
- [96] Coombs T, Nicholas A, Pirkis J. A review of social inclusion measures. *Aust N Z J Psychiatry* 2013;47:906-919.
- [97] Costa LOP, Maher CG, Latimer J. Self-report outcome measures for low back pain - Searching for international cross-cultural adaptations. *Spine* 2007;32:1028-1037.
- [98] Cremeens J, Eiser C, Blades M. Characteristics of Health-related Self-report Measures for Children Aged Three to Eight Years: A Review of the Literature. *Qual Life Res* 2006;15:739-754.
- [99] Croarkin E, Danoff J, Barnes C. Evidence-based rating of upper-extremity motor function tests used for people following a stroke. *Phys Ther* 2004;84:62-74.
- [100] Crosta QR, Ward TM, Walker AJ, Peters LM. A review of pain measures for hospitalized children with cognitive impairment. *J Spec Pediatr Nurs* 2014;19:109-118.

- [101] Crowe LM, Beauchamp MH, Catroppa C, Anderson V. Social function assessment tools for children and adolescents: A systematic review from 1988 to 2010. *Clin Psychol Rev* 2011;31:767-785.
- [102] Cummins RA. Self-rated quality of life scales for people with an intellectual disability: A review. *Journal of Applied Research in Intellectual Disabilities* 1997;10:199-216.
- [103] D'Olhaberriague L, Litvan I, Mitsias P, Mansbach HH. A reappraisal of reliability and validity studies in stroke. *Stroke* 1996;27:2331-2336.
- [104] Daker-White G. Reliable and valid self-report outcome measures in sexual (dys)function: a systematic review. *Arch Sex Behav* 2002;31:197-209.
- [105] Dalbeth N, Schauer C, Macdonald P et al. Methods of tophus assessment in clinical trials of chronic gout: a systematic literature review and pictorial reference guide. *Ann Rheum Dis* 2011;70:597-604.
- [106] Dalbeth N, Zhong CS, Grainger R et al. Outcome measures in acute gout: a systematic literature review. *J Rheumatol* 2014;41:558-568.
- [107] Dalemans R, de Witte LP, Lemmens J, van den Heuvel WJ, Wade DT. Measures for rating social participation in people with aphasia: a systematic review. *Clin Rehabil* 2008;22:542-555.
- [108] Danquah FV, Wasserman J, Meininger J, Bergstrom N. Quality of life measures for patients on hemodialysis: a review of psychometric properties. *Nephrol Nurs J* 2010;37:255-269.
- [109] Davis E, Waters E, Mackinnon A et al. Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes. *Dev Med Child Neurol* 2006;48:311-318.
- [110] Dawson J, Shamley D, Jamous MA. A structured review of outcome measures used for the assessment of rehabilitation interventions for spinal cord injury. *Spinal Cord* 2008.
- [111] de Almeida JR, Witterick IJ, Gullane PJ et al. Quality of life instruments for skull base pathology: systematic review and methodologic appraisal. *Head Neck* 2013;35:1221-1231.
- [112] de Boer JB, van Dam FS, Sprangers MA. Health-related quality-of-life evaluation in HIV-infected patients. A review of the literature. *Pharmacoeconomics* 1995;8:291-304.
- [113] de Boer MK, Castelein S, Wiersma D, Schoevers RA, Knegtering H. A systematic review of instruments to measure sexual functioning in patients using antipsychotics. *J Sex Res* 2014;51:383-389.
- [114] de Boer MR, Moll AC, de Vet HC, Terwee CB, Volker-Dieben HJ, van Rens GH. Psychometric properties of vision-related quality of life questionnaires: a systematic review. *Ophthalmic Physiol Opt* 2004;24:257-273.
- [115] De Kleijn P, Heijnen L, Van Meeteren NLU. Clinimetric instruments to assess functional health status in patients with haemophilia: A literature review. *Haemophilia* 2002;8:419-427.

- [116] de Koning CH, van den Heuvel SP, Staal JB, Smits-Engelsman BC, Hendriks EJ. Clinimetric evaluation of active range of motion measures in patients with non-specific neck pain: a systematic review. *Eur Spine J* 2008;17:905-921.
- [117] de Koning CH, van den Heuvel SP, Staal JB, Smits-Engelsman BC, Hendriks EJ. Clinimetric evaluation of methods to measure muscle functioning in patients with non-specific neck pain: a systematic review. *BMC Musculoskelet Disord* 2008;9:142.
- [118] De Korte J, Mombers FM, Sprangers MA, Bos JD. The suitability of quality-of-life questionnaires for psoriasis research: a systematic literature review. *Arch Dermatol* 2002;138:1221-1227.
- [119] de Morton NA, Berlowitz DJ, Keating JL. A systematic review of mobility instruments and their measurement properties for older acute medical patients. *Health Qual Life Outcomes* 2008;6:44.
- [120] de Paula Lima PO, de Oliveira RR, Costa LO, Laurentino GE. Measurement properties of the pressure biofeedback unit in the evaluation of transversus abdominis muscle activity: a systematic review. *Physiotherapy* 2011;97:100-106.
- [121] de Tiedra AG, Mercadal J, Badia X, Mascaro JM, Lozano R. A method to select an instrument for measurement of HR-QOL for cross-cultural adaptation applied to dermatology. *Pharmacoeconomics* 1998;14:405-422.
- [122] de Vries NM, Staal JB, van Ravensberg CD, Hobbelen JS, Olde Rikkert MG, Nijhuis-VAN DER Sanden MW. Outcome instruments to measure frailty: a systematic review. *Ageing Res Rev* 2011;10:104-114.
- [123] de Wit M, Delemarre-van de Waal HA, Pouwer F, Gemke RJ, Snoek FJ. Monitoring health related quality of life in adolescents with diabetes: a review of measures. *Arch Dis Child* 2007;92:434-439.
- [124] de A, Jr., Witterick IJ, Gullane PJ et al. Quality of life instruments for skull base pathology: Systematic review and methodologic appraisal. *Head Neck* 2012.
- [125] Deathe AB, Wolfe DL, Devlin M, Hebert JS, Miller WC, Pallaveshi L. Selection of outcome measures in lower extremity amputation rehabilitation: ICF activities. *Disabil Rehabil* 2009;31:1455-1473.
- [126] Debusse D, Brace H. Outcome measures of activity for children with cerebral palsy: a systematic review. *Pediatr Phys Ther* 2011;23:221-231.
- [127] Deighton J, Croudace T, Fonagy P, Brown J, Patalay P, Wolpert M. Measuring mental health and wellbeing outcomes for children and adolescents to inform practice and policy: a review of child self-report measures. *Child Adolesc Psychiatry Ment Health* 2014;8:14.
- [128] Dekkers KJ, Rameckers EA, Smeets RJ, Janssen-Potten YJ. Upper extremity strength measurement for children with cerebral palsy: a systematic review of available instruments. *Phys Ther* 2014;94:609-622.
- [129] Den Oudsten BL, Van Heck GL, De Vries J. The suitability of patient-based measures in the field of Parkinson's disease: a systematic review. *Mov Disord* 2007;22:1390-1401.
- [130] Desai AS, Dramis A, Hearnden AJ. Critical appraisal of subjective outcome measures used in the assessment of shoulder disability. *Ann R Coll Surg Engl* 2010;92:9-13.

- [131] Devine EB, Hakim Z, Green J. A systematic review of patient-reported outcome instruments measuring sleep dysfunction in adults. *Pharmacoeconomics* 2005;23:889-912.
- [132] Devlin JW, Fong JJ, Fraser GL, Riker RR. Delirium assessment in the critically ill. *Intensive Care Med* 2007;33:929-940.
- [133] Dittner AJ, Wessely SC, Brown RG. The assessment of fatigue: a practical guide for clinicians and researchers. *J Psychosom Res* 2004;56:157-170.
- [134] Djan R, Penington A. A systematic review of questionnaires to measure the impact of appearance on quality of life for head and neck cancer patients. *J Plast Reconstr Aesthet Surg* 2013;66:647-659.
- [135] Dobson F, Choi YM, Hall M, Hinman RS. Clinimetric properties of observer-assessed impairment tests used to evaluate hip and groin impairments: a systematic review. *Arthritis Care Res (Hoboken)* 2012;64:1565-1575.
- [136] Dorey G. Outcome measures for erectile dysfunction. 1: Literature review. *Br J Nurs* 2002;11:54-64.
- [137] Dorfman TL, Sumamo SE, Rempel GR, Scott SD, Hartling L. An evaluation of instruments for scoring physiological and behavioral cues of pain, non-pain related distress, and adequacy of analgesia and sedation in pediatric mechanically ventilated patients: A systematic review. *Int J Nurs Stud* 2014;51:654-676.
- [138] Dorman S, Byrne A, Edwards A. Which measurement scales should we use to measure breathlessness in palliative care? A systematic review. *Palliat Med* 2007.
- [139] Dowrick AS, Gabbe BJ, Williamson OD, Cameron PA. Outcome instruments for the assessment of the upper extremity following trauma: a review. *Injury* 2005;36:468-476.
- [140] Drake BG, Callahan CM, Dittus RS, Wright JG. Global rating systems used in assessing knee arthroplasty outcomes. *J ARTHROPLASTY* 1994;9:409-417.
- [141] Duhn LJ, Medves JM. A systematic integrative review of infant pain assessment tools. *Adv Neonatal Care* 2004;4:126-140.
- [142] Duracinsky M, Mosnier I, Bouccara D, Sterkers O, Chassany O. Literature review of questionnaires assessing vertigo and dizziness, and their impact on patients' quality of life. *Value Health* 2007;10:273-284.
- [143] Dziedzic KS, Thomas E, Hay EM. A systematic search and critical review of measures of disability for use in a population survey of hand osteoarthritis (OA). *Osteoarthritis Cartilage* 2005;13:1-12.
- [144] Eadie TL, Yorkston KM, Klasner ER et al. Measuring communicative participation: a review of self-report instruments in speech-language pathology. *Am J Speech Lang Pathol* 2006;15:307-320.
- [145] Eccleston C, Jordan AL, Crombez G. The Impact of Chronic Pain on Adolescents: A Review of Previously Used Measures. *J Pediatr Psychol* 2005.
- [146] Edgell ET, Coons SJ, Carter WB et al. A review of health-related quality-of-life measures used in end-stage renal disease. *Clin Ther* 1996;18:887-938.

- [147] Edwards B, Ung L. Quality of life instruments for caregivers of patients with cancer: A review of their psychometric properties. *Cancer Nurs* 2002;25:342-349.
- [148] Eechaute C, Vaes P, Van Aerschot L, Asman S, Duquet W. The clinimetric qualities of patient-assessed instruments for measuring chronic ankle instability: a systematic review. *BMC Musculoskelet Disord* 2007;8:6.
- [149] Eeles AL, Spittle AJ, Anderson PJ et al. Assessments of sensory processing in infants: a systematic review. *Dev Med Child Neurol* 2013;55:314-326.
- [150] Ehanire T, Vissoci JR, Slaughter K et al. A systematic review of the psychometric properties of self-reported scales assessing burn contractures reveals the need for a new tool to measure contracture outcomes. *Wound Repair Regen* 2013;21:520-529.
- [151] Eiser C, Morse R. Quality-of-life measures in chronic diseases of childhood. *Health Technol Assess* 2001;5:1-157.
- [152] El Achhab Y, Nejjari C, Chikri M, Lyoussi B. Disease-specific health-related quality of life instruments among adults diabetic: A systematic review. *Diabetes Res Clin Pract* 2008;80:171-184.
- [153] Elbers RG, Rietberg MB, van Wegen EE et al. Self-report fatigue questionnaires in multiple sclerosis, Parkinson's disease and stroke: a systematic review of measurement properties. *Qual Life Res* 2011.
- [154] Engelmann KA, Jordan LC. Outcome measures used in pediatric stroke studies: a systematic review. *Arch Neurol* 2012;69:23-27.
- [155] Englbrecht M, Tarner IH, van der Heijde DM, Manger B, Bombardier C, Muller-Ladner U. Measuring pain and efficacy of pain treatment in inflammatory arthritis: a systematic literature review. *J Rheumatol Suppl* 2012;90:3-10.
- [156] Epton J, Harris R, Jenkinson C. Quality of life in amyotrophic lateral sclerosis/motor neuron disease: a structured review. *Amyotroph Lateral Scler* 2009;10:15-26.
- [157] Esculier JF, Roy JS, Bouyer LJ. Psychometric evidence of self-reported questionnaires for patellofemoral pain syndrome: a systematic review. *Disabil Rehabil* 2013.
- [158] Ettema TP, Droes RM, Lange JD, Mellenbergh GJ, Ribbe MW. A review of quality of life instruments used in dementia. *Qual Life Res* 2005;14:675-686.
- [159] Finger RP, Fleckenstein M, Holz FG, Scholl HP. Quality of life in age-related macular degeneration: a review of available vision-specific psychometric tools. *Qual Life Res* 2008;17:559-574.
- [160] Fitzsimmons D, Gilbert J, Howse F et al. A systematic review of the use and validation of health-related quality of life instruments in older cancer patients. *Eur J Cancer* 2009;45:19-32.
- [161] Flamand VH, Masse-Alarie H, Schneider C. Psychometric evidence of spasticity measurement tools in cerebral palsy children and adolescents: A systematic review. *J Rehabil Med* 2013;45:14-23.
- [162] Fortin C, Feldman DE, Cheriet F, Labelle H. Clinical methods for quantifying body segment posture: a literature review. *Disabil Rehabil* 2011;33:367-383.

- [163] Franic DM, Bramlett RE, Bothe AC. Psychometric evaluation of disease specific quality of life instruments in voice disorders. *J Voice* 2005;19:300-315.
- [164] Fraser A, Delaney B, Moayyedi P. Symptom-based outcome measures for dyspepsia and GERD trials: A systematic review. *Am J Gastroenterol* 2005;100:442-452.
- [165] Furlan JC, Noonan V, Singh A, Fehlings MG. Assessment of disability in patients with acute traumatic spinal cord injury: a systematic review of the literature. *J Neurotrauma* 2011;28:1413-1430.
- [166] Garin O, Ferrer M, Pont A et al. Disease-specific health-related quality of life questionnaires for heart failure: a systematic review with meta-analyses. *Qual Life Res* 2009;18:71-85.
- [167] Garratt AM, Schmidt L, Fitzpatrick R. Patient-assessed health outcome measures for diabetes: a structured review. *Diabet Med* 2002;19:1-11.
- [168] Garratt AM, Brealey S, Gillespie WJ. Patient-assessed health instruments for the knee: a structured review. *Rheumatology (Oxford)* 2004;43:1414-1423.
- [169] Gelinas C, Puntillo KA, Joffe AM, Barr J. A validated approach to evaluating psychometric properties of pain assessment tools for use in nonverbal critically ill adults. *Semin Respir Crit Care Med* 2013;34:153-168.
- [170] Gerlach Y, Williams MT, Coates AM. Weighing up the evidence-a systematic review of measures used for the sensation of breathlessness in obesity. *Int J Obes (Lond)* 2013;37:341-349.
- [171] Gibson F, Auld EM, Bryan G, Coulson S, Craig JV, Glenny AM. A systematic review of oral assessment instruments: what can we recommend to practitioners in children's and young people's cancer care? *Cancer Nurs* 2010;33:E1-E19.
- [172] Gilmore R, Sakzewski L, Boyd R. Upper limb activity measures for 5- to 16-year-old children with congenital hemiplegia: a systematic review. *Dev Med Child Neurol* 2010;52:14-21.
- [173] Gioia GA, Schneider JC, Vaughan CG, Isquith PK. Which symptom assessments and approaches are uniquely appropriate for paediatric concussion? *Br J Sports Med* 2009;43 Suppl 1:i13-i22.
- [174] Giraldi A, Rellini A, Pfaus JG et al. Questionnaires for assessment of female sexual dysfunction: a review and proposal for a standardized screener. *J Sex Med* 2011;8:2681-2706.
- [175] Glover C, Banks P, Carson A, Martin CR, Duffy T. Understanding and assessing the impact of end-stage renal disease on quality of life: a systematic review of the content validity of self-administered instruments used to assess health-related quality of life in end-stage renal disease. *Patient* 2011;4:19-30.
- [176] Goldenberg NA, Donadini MP, Kahn SR et al. Post-thrombotic syndrome in children: a systematic review of frequency of occurrence, validity of outcome measures, and prognostic factors. *Haematologica* 2010;95:1952-1959.
- [177] Golomb BA, Vickrey BG, Hays RD. A review of health-related quality-of-life measures in stroke. *Pharmacoeconomics* 2001;19:155-185.

- [178] Gonzalez-Consuegra RV, Verdu J. Quality of life in people with venous leg ulcers: an integrative review. *J Adv Nurs* 2011;67:926-944.
- [179] Gorecki C, Nixon J, Lamping DL, Alavi Y, Brown JM. Patient-reported outcome measures for chronic wounds with particular reference to pressure ulcer research: A systematic review. *Int J Nurs Stud* 2013.
- [180] Grange A, Bekker H, Noyes J, Langley P. Adequacy of health-related quality of life measures in children under 5 years old: systematic review. *J Adv Nurs* 2007;59:197-220.
- [181] Granger CL, McDonald CF, Parry SM, Oliveira CC, Denehy L. Functional capacity, physical activity and muscle strength assessment of individuals with non-small cell lung cancer: a systematic review of instruments and their measurement properties. *BMC Cancer* 2013;13:135.
- [182] Gray H, Adefolarin AT, Howe TE. A systematic review of instruments for the assessment of work-related psychosocial factors (Blue Flags) in individuals with non-specific low back pain. *Man Ther* 2011;16:531-543.
- [183] Greaves S, Imms C, Dodd K, Krumlinde-Sundholm L. Assessing bimanual performance in young children with hemiplegic cerebral palsy: a systematic review. *Dev Med Child Neurol* 2010;52:413-421.
- [184] Griffith KA, Merckies IS, Hill EE, Cornblath DR. Measures of chemotherapy-induced peripheral neuropathy: a systematic review of psychometric properties. *J Peripher Nerv Syst* 2010;15:314-325.
- [185] Grotle M, Brox JI, Vollestad NK. Functional status and disability questionnaires: what do they assess? A systematic review of back-specific outcome questionnaires. *Spine* 2005;30:130-140.
- [186] Gruenewald DA, Higginson IJ, Vivat B, Edmonds P, Burman RE. Quality of life measures for the palliative care of people severely affected by multiple sclerosis: a systematic review. *Mult Scler* 2004;10:690-704.
- [187] Guo N, Marra F, Marra CA. Measuring health-related quality of life in tuberculosis: A systematic review. *Health Qual Life Outcomes* 2009;7.
- [188] Hakkarainen KM, Andersson SK, Petzold M, Hagg S. Methods for assessing the preventability of adverse drug events: a systematic review. *Drug Saf* 2012;35:105-126.
- [189] Hales S, Zimmermann C, Rodin G. Review: the quality of dying and death: a systematic review of measures. *Palliat Med* 2010;24:127-144.
- [190] Hallin P, Sullivan M, Kreuter M. Spinal cord injury and quality of life measures: a review of instrument psychometric quality. *Spinal Cord* 2000;38:509-523.
- [191] Harrison MJ, Davies LM, Bansback NJ, Ingram M, Anis AH, Symmons DPM. The validity and responsiveness of generic utility measures in rheumatoid arthritis: A review. *J Rheumatol* 2008;35:592-602.
- [192] Harvey A, Robin J, Morris ME, Graham HK, Baker R. A systematic review of measures of activity limitation for children with cerebral palsy. *Dev Med Child Neurol* 2008;50:190-198.

- [193] Harvey K, Catty J, Langman A et al. A review of instruments developed to measure outcomes for carers of people with mental health problems. *Acta Psychiatr Scand* 2008;117:164-176.
- [194] Hayes JA, Black NA, Jenkinson C et al. Outcome measures for adult critical care: a systematic review. *Health Technol Assess* 2000;4:1-111.
- [195] Haywood KL, Hargreaves J, Lamb SE. Multi-item outcome measures for lateral ligament injury of the ankle: a structured review. *J Eval Clin Pract* 2004;10:339-352.
- [196] Haywood KL, Garratt AM, Fitzpatrick R. Older people specific health status and quality of life: a structured review of self-assessed instruments. *J Eval Clin Pract* 2005;11:315-327.
- [197] Haywood KL, Garratt AM, Fitzpatrick R. Quality of life in older people: a structured review of generic self-assessed health instruments. *Qual Life Res* 2005;14:1651-1668.
- [198] Haywood KL, Garratt AM, Dawes PT. Patient-assessed health in ankylosing spondylitis: a structured review. *Rheumatology (Oxford)* 2005.
- [199] Haywood KL, Garratt AM, Fitzpatrick R. Quality of life in older people: a structured review of self-assessed health instruments. *Expert Rev Pharmacoecon Outcomes Res* 2006;6:181-194.
- [200] Haywood KL, Staniszewska S, Chapman S. Quality and acceptability of patient-reported outcome measures used in chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME): a systematic review. *Qual Life Res* 2012;21:35-52.
- [201] Hearn J, Higginson IJ. Outcome measures in palliative care for advanced cancer patients: a review. *J Public Health Med* 1997;19:193-199.
- [202] Hebert JS, Wolfe DL, Miller WC, Deathe AB, Devlin M, Pallaveshi L. Outcome measures in amputation rehabilitation: ICF body functions. *Disabil Rehabil* 2009;1-14.
- [203] Hebling E, Pereira AC. Oral health-related quality of life: a critical appraisal of assessment tools used in elderly people. *Gerodontology* 2007;24:151-161.
- [204] Heffernan C, Jenkinson C. Measuring outcomes for neurological disorders: a review of disease-specific health status instruments for three degenerative neurological conditions. *Chronic Illn* 2005;1:131-142.
- [205] Heineman KR, Hadders-Algra M. Evaluation of neuromotor function in infancy-A systematic review of available methods. *J Dev Behav Pediatr* 2008;29:315-323.
- [206] Hermans H, Evenhuis HM. Characteristics of instruments screening for depression in adults with intellectual disabilities: systematic review. *Res Dev Disabil* 2010;31:1109-1120.
- [207] Hermans H, van der Pas FH, Evenhuis HM. Instruments assessing anxiety in adults with intellectual disabilities: a systematic review. *Res Dev Disabil* 2011;32:861-870.
- [208] Herr K, Bjoro K, Decker S. Tools for assessment of pain in nonverbal older adults with dementia: A state-of-the-science review. *J Pain Symptom Manage* 2006;31:170-192.
- [209] Herrera FJ, Wong J, Chung F. A systematic review of postoperative recovery outcomes measurements after ambulatory surgery. *Anesth Analg* 2007;105:63-69.

- [210] Hewlett S, Hehir M, Kirwan JR. Measuring fatigue in rheumatoid arthritis: a systematic review of scales in use. *Arthritis Rheum* 2007;57:429-439.
- [211] Hill BE, Williams G, Bialocerkowski AE. Clinimetric evaluation of questionnaires used to assess activity after traumatic brachial plexus injury in adults: a systematic review. *Arch Phys Med Rehabil* 2011;92:2082-2089.
- [212] Hill MR, Noonan VK, Sakakibara BM, Miller WC. Quality of life instruments and definitions in individuals with spinal cord injury: a systematic review. *Spinal Cord* 2010;48:438-450.
- [213] Ho AL, Scott AM, Klassen AF, Cano SJ, Pusic AL, Van LN. Measuring quality of life and patient satisfaction in facial paralysis patients: a systematic review of patient-reported outcome measures. *Plast Reconstr Surg* 2012;130:91-99.
- [214] Hoang-Kim A, Pegreff F, Moroni A, Ladd A. Measuring wrist and hand function: common scales and checklists. *Injury* 2011;42:253-258.
- [215] Hogg FR, Peach G, Price P, Thompson MM, Hinchliffe RJ. Measures of health-related quality of life in diabetes-related foot disease: a systematic review. *Diabetologia* 2012;55:552-565.
- [216] Hollifield M, Warner TD, Lian N et al. Measuring trauma and health status in refugees: a critical review. *JAMA* 2002;288:611-621.
- [217] Holly LT, Matz PG, Anderson PA et al. Functional outcomes assessment for cervical degenerative disease. *J Neurosurg Spine* 2009;11:238-244.
- [218] Hook JN, Hook JP, Davis DE, Worthington EL, Jr., Penberthy JK. Measuring sexual addiction and compulsivity: a critical review of instruments. *J Sex Marital Ther* 2010;36:227-260.
- [219] Horton L, Duffy T, Hollins MC, Martin CR. Comprehensive assessment of alcohol-related brain damage (ARBD): gap or chasm in the evidence? *J Psychiatr Ment Health Nurs* 2014.
- [220] Howe TE, Dawson LJ, Syme G, Duncan L, Reid J. Evaluation of outcome measures for use in clinical practice for adults with musculoskeletal conditions of the knee: A systematic review. *Man Ther* 2011.
- [221] Hsieh JT, Wolfe DL, Miller WC, Curt A. Spasticity outcome measures in spinal cord injury: psychometric properties and clinical utility. *Spinal Cord* 2008;46:86-95.
- [222] Hu X, Summers JA, Turnbull A, Zuna N. The quantitative measurement of family quality of life: a review of available instruments. *J Intellect Disabil Res* 2011;55:1098-1114.
- [223] Hudson M, Steele R, Baron M. Update on Indices of Disease Activity in Systemic Sclerosis. *Semin Arthritis Rheum* 2007.
- [224] Hudson PL, Trauer T, Graham S et al. A systematic review of instruments related to family caregivers of palliative care patients. *Palliat Med* 2010;24:656-668.
- [225] Hunter J, Higginson I, Garralda E. Systematic literature review: outcome measures for child and adolescent mental health services. *J Public Health Med* 1996;18:197-206.

- [226] Hutchings L, Fox R, Chesser T. Proximal femoral fractures in the elderly: how are we measuring outcome? *Injury* 2011;42:1205-1213.
- [227] Innes E. Handgrip strength testing: A review of the literature. *Aust Occup Ther J* 1999;46:120-140.
- [228] Ireland P, Johnston LM. Measures of self-care independence for children with osteochondrodysplasia: a clinimetric review. *Phys Occup Ther Pediatr* 2012;32:80-96.
- [229] Jabir S. Assessing Improvement in Quality of Life and Patient Satisfaction following Body Contouring Surgery in Patients with Massive Weight Loss: A Critical Review of Outcome Measures Employed. *Plast Surg Int* 2013;2013:515737.
- [230] Janaudis-Ferreira T, Beauchamp MK, Goldstein RS, Brooks D. How Should We Measure Arm Exercise Capacity in Patients With COPD?: A Systematic Review. *Chest* 2012;141:111-120.
- [231] Janaudis-Ferreira T, Beauchamp MK, Robles PG, Goldstein RS, Brooks D. Measurement of activities of daily living in COPD. A systematic review. *Chest* 2013.
- [232] Janssens L, Gorter JW, Ketelaar M, Kramer WL, Holtslag HR. Health-related quality-of-life measures for long-term follow-up in children after major trauma. *Qual Life Res* 2008;17:701-713.
- [233] Jay CL, Butt Z, Ladner DP, Skaro AI, Abecassis MM. A review of quality of life instruments used in liver transplantation. *J Hepatol* 2009.
- [234] Jeffery DD, Tzeng JP, Keefe FJ et al. Initial report of the cancer patient-reported outcomes measurement information system (PROMIS) sexual function committee: Review of sexual function measures and domains used in oncology. *Cancer* 2009;115:1142-1153.
- [235] Jones GL, Kennedy SH, Jenkinson C. Health-related quality of life measurement in women with common benign gynecologic conditions: a systematic review. *Am J Obstet Gynecol* 2002;187:501-511.
- [236] Jones HG. Clinimetrics of tristimulus colourimeters in scar assessment: a review of evidence. *J Wound Care* 2012;21:30-35.
- [237] Jones N, Schneider G, Kachroo S, Rotella P, Avetisyan R, Reynolds MW. A systematic review of validated methods for identifying pulmonary fibrosis and interstitial lung disease using administrative and claims data. *Pharmacoepidemiol Drug Saf* 2012;21 Suppl 1:256-260.
- [238] Jordan A, Eccleston C, Crombez G. Parental functioning in the context of adolescent chronic pain: a review of previously used measures. *J Pediatr Psychol* 2008;33:640-659.
- [239] Jordhoy MS, Inger RG, Helbostad JL, Oldervoll L, Loge JH, Kaasa S. Assessing physical functioning: a systematic review of quality of life measures developed for use in palliative care. *Palliat Med* 2007;21:673-682.
- [240] Jorstad EC, Hauer K, Becker C, Lamb SE. Measuring the psychological outcomes of falling: a systematic review. *J Am Geriatr Soc* 2005;53:501-510.

- [241] Kamalski DM, Hoekstra CE, van Zanten BG, Grolman W, Rovers MM. Measuring disease-specific health-related quality of life to evaluate treatment outcomes in tinnitus patients: a systematic review. *Otolaryngol Head Neck Surg* 2010;143:181-185.
- [242] Karazsia BT, Brown Kirschman KJ. Evidence-based assessment of childhood injuries and physical risk-taking behaviors. *J Pediatr Psychol* 2013;38:829-845.
- [243] Kearney RS, Achten J, Lamb SE, Plant C, Costa ML. A systematic review of patient-reported outcome measures used to assess Achilles tendon rupture management: what's being used and should we be using it? *Br J Sports Med* 2012;46:1102-1109.
- [244] Keen HI, Mease PJ, Bingham CO, III, Giles JT, Kaeley G, Conaghan PG. Systematic review of MRI, ultrasound, and scintigraphy as outcome measures for structural pathology in interventional therapeutic studies of knee arthritis: focus on responsiveness. *J Rheumatol* 2011;38:142-154.
- [245] Keskula DR, Lott J. Defining and measuring functional limitations and disability in the athletic shoulder. *J Sport Rehabil* 2001;10:221-231.
- [246] Ketelaar M, Vermeer A, Helders PJ. Functional motor abilities of children with cerebral palsy: a systematic literature review of assessment measures. *Clin Rehabil* 1998;12:369-380.
- [247] Kettler A, Wilke HJ. Review of existing grading systems for cervical or lumbar disc and facet joint degeneration. *Eur Spine J* 2005.
- [248] Kirkova J, Davis MP, Walsh D et al. Cancer symptom assessment instruments: a systematic review. *J Clin Oncol* 2006;24:1459-1473.
- [249] Kivlan BR, Martin RL. Functional performance testing of the hip in athletes: a systematic review for reliability and validity. *Int J Sports Phys Ther* 2012;7:402-412.
- [250] Klassen AF, Stotland MA, Skarsgard ED, Pusic AL. Clinical research in pediatric plastic surgery and systematic review of quality-of-life questionnaires. *Clin Plast Surg* 2008;35:251-267.
- [251] Kline LN, Rentz AM, Grace EM. Evaluating health-related quality of life outcomes in clinical trials of antiepileptic drug therapy. *Epilepsia* 1998;39:965-977.
- [252] Klingels K, Jaspers E, Van de WA, De CP, Molenaers G, Feys H. A systematic review of arm activity measures for children with hemiplegic cerebral palsy. *Clin Rehabil* 2010;24:887-900.
- [253] Kluivers KB, Riphagen I, Vierhout ME, Brolmann HA, de Vet HC. Systematic review on recovery specific quality-of-life instruments. *Surgery* 2008;143:206-215.
- [254] Knol W, Keijsers CJ, Jansen PA, van Marum RJ. Systematic evaluation of rating scales for drug-induced parkinsonism and recommendations for future research. *J Clin Psychopharmacol* 2010;30:57-63.
- [255] Knudsen AK, Aass N, Fainsinger R et al. Classification of pain in cancer patients - A systematic literature review. *Palliative Med* 2009;23:295-308.

- [256] Kocks JW, Asijee GM, Tsiligianni IG, Kerstjens HA, van der MT. Functional status measurement in COPD: a review of available methods and their feasibility in primary care. *Prim Care Respir J* 2011;20:269-275.
- [257] Koene S, Jansen M, Verhaak CM, De Vruhe RL, De G, I, Smeitink JA. Towards the harmonization of outcome measures in children with mitochondrial disorders. *Dev Med Child Neurol* 2013.
- [258] Kosowski TR, McCarthy C, Reavey PL et al. A systematic review of patient-reported outcome measures after facial cosmetic surgery and/or nonsurgical facial rejuvenation. *Plast Reconstr Surg* 2009;123:1819-1827.
- [259] Krikorian A, Limonero JT, Corey MT. Suffering assessment: a review of available instruments for use in palliative care. *J Palliat Med* 2013;16:130-142.
- [260] Ladehoff N, Sturm K, Mehnert A. Work-related self-report measures and assessment tools in cancer survivorship: a systematic literature review. *Disabil Rehabil* 2013;35:100-112.
- [261] Lako IM, Bruggeman R, Knegtering H et al. A systematic review of instruments to measure depressive symptoms in patients with schizophrenia. *J Affect Disord* 2012;140:38-47.
- [262] Lam T, Noonan VK, Eng JJ. A systematic review of functional ambulation outcome measures in spinal cord injury. *Spinal Cord* 2008;46:246-254.
- [263] Langham S, Maggi M, Schulman C, Quinton R, Uhl-Hochgraeber K. Health-related quality of life instruments in studies of adult men with testosterone deficiency syndrome: a critical assessment. *J Sex Med* 2008;5:2842-2852.
- [264] Law LL, Barnett F, Yau MK, Gray MA. Measures of everyday competence in older adults with cognitive impairment: a systematic review. *Age Ageing* 2012;41:9-16.
- [265] Law M, Letts L. A critical review of scales of activities of daily living. *Am J Occup Ther* 1989;43:522-528.
- [266] Lawton TW, Cronin JB, McGuigan MR. Strength testing and training of rowers: a review. *Sports Med* 2011;41:413-432.
- [267] Leconte S, Ferrant D, Dory V, Degryse J. Validated methods of cough assessment: a systematic review of the literature. *Respiration* 2011;81:161-174.
- [268] Lee EH, Klassen AF, Nehal KS, Cano SJ, Waters J, Pusic AL. A systematic review of patient-reported outcome instruments of nonmelanoma skin cancer in the dermatologic population. *J Am Acad Dermatol* 2012.
- [269] Lee KS, Moser DK. Heart failure symptom measures: critical review. *Eur J Cardiovasc Nurs* 2013.
- [270] Leentjens AF, Dujardin K, Marsh L et al. Anxiety rating scales in Parkinson's disease: critique and recommendations. *Mov Disord* 2008;23:2015-2025.
- [271] Lehman AF. Measures of quality of life among persons with severe and persistent mental disorders. *Soc Psychiatry Psychiatr Epidemiol* 1996;31:78-88.

- [272] Leone MA, Beghi E, Righini C, Apolone G, Mosconi P. Epilepsy and quality of life in adults: a review of instruments. *Epilepsy Res* 2005;66:23-44.
- [273] Lewandowski AS, Toliver-Sokol M, Palermo TM. Evidence-based review of subjective pediatric sleep measures. *J Pediatr Psychol* 2011;36:780-793.
- [274] Lewis VJ, Finlay AY. A critical review of Quality-of-Life Scales for Psoriasis. *Dermatol Clin* 2005;23:707-716.
- [275] Li D, Puntillo K, Miaskowski C. A review of objective pain measures for use with critical care adult patients unable to self-report. *J Pain* 2008;9:2-10.
- [276] Lin SY, Chang JK, Chen PC, Mao HF. Hand function measures for burn patients: a literature review. *Burns* 2013;39:16-23.
- [277] Linder JA, Singer DE, Ancker M, Atlas SJ. Measures of health-related quality of life for adults with acute sinusitis. A systematic review. *J Gen Intern Med* 2003;18:390-401.
- [278] Linder LA. Measuring physical symptoms in children and adolescents with cancer. *Cancer Nurs* 2005;28:16-26.
- [279] Littlewood C, May S. Measurement of range of movement in the lumbar spine-what methods are valid? A systematic review. *Physiotherapy* 2007;93:201-211.
- [280] Lodhia P, Slobogean GP, Noonan VK, Gilbert MK. Patient-reported outcome instruments for femoroacetabular impingement and hip labral pathology: a systematic review of the clinimetric evidence. *Arthroscopy* 2011;27:279-286.
- [281] Lofland JH, Pizzi L, Frick KD. A review of health-related workplace productivity loss instruments. *Pharmacoeconomics* 2004;22:165-184.
- [282] Lomeli HA, Perez-Olmos I, Talero-Gutierrez C et al. Sleep evaluation scales and questionnaires: a review. *Actas Esp Psiquiatr* 2008;36:50-59.
- [283] Longo UG, Saris D, Poolman RW, Berton A, Denaro V. Instruments to assess patients with rotator cuff pathology: a systematic review of measurement properties. *Knee Surg Sports Traumatol Arthrosc* 2012;20:1961-1970.
- [284] Lord S, Howe T, Greenland J, Simpson L, Rochester L. Gait variability in older adults: A structured review of testing protocol and clinimetric properties. *Gait Posture* 2011;34:443-450.
- [285] Lockett T, Butow PN, King MT et al. A review and recommendations for optimal outcome measures of anxiety, depression and general distress in studies evaluating psychosocial interventions for English-speaking adults with heterogeneous cancer diagnoses. *Support Care Cancer* 2010;18:1241-1262.
- [286] Lockett T, King M, Butow P, Friedlander M, Paris T. Assessing health-related quality of life in gynecologic oncology: a systematic review of questionnaires and their ability to detect clinically important differences and change. *Int J Gynecol Cancer* 2010;20:664-684.
- [287] Lundberg M, Grimby-Ekman A, Verbunt J, Simmonds MJ. Pain-related fear: a critical review of the related measures. *Pain Res Treat* 2011;2011:494196.

- [288] Lundstrom M, Wendel E. Assessment of vision-related quality of life measures in ophthalmic conditions. *Expert Rev Pharmacoecon Outcomes Res* 2006;6:691-724.
- [289] Luscombe FA. Health-related quality of life measurement in type 2 diabetes. *Value Health* 2000;3 Suppl 1:15-28.
- [290] MacKnight C, Rockwood K. Assessing mobility in elderly people. A review of performance-based measures of balance, gait and mobility for bedside use. *Rev Clin Gerontol* 1995;5:464-486.
- [291] Magasi S, Post MW. A comparative review of contemporary participation measures' psychometric properties and content coverage. *Arch Phys Med Rehabil* 2010;91:S17-S28.
- [292] Magasi SR, Heinemann AW, Whiteneck GG. Participation following traumatic spinal cord injury: an evidence-based review for research. *J Spinal Cord Med* 2008;31:145-156.
- [293] Maity S, Thomas AG. Quality of life in paediatric gastrointestinal and liver disease: a systematic review. *J Pediatr Gastroenterol Nutr* 2007;44:540-554.
- [294] Makai P, Brouwer WB, Koopmanschap MA, Stolk EA, Nieboer AP. Quality of life instruments for economic evaluations in health and social care for older people: a systematic review. *Soc Sci Med* 2014;102:83-93.
- [295] Malik-Aslam A, Reaney MD, Speight J. The suitability of polycystic ovary syndrome-specific questionnaires for measuring the impact of PCOS on quality of life in clinical trials. *Value Health* 2010;13:440-446.
- [296] Mannerkorpi K, Ekdahl C. Assessment of functional limitation and disability in patients with fibromyalgia. *Scand J Rheumatol* 1997;26:4-13.
- [297] Margolis MK, Coyne K, Kennedy-Martin T, Baker T, Schein O, Revicki DA. Vision-specific instruments for the assessment of health-related quality of life and visual functioning: a literature review. *Pharmacoeconomics* 2002;20:791-812.
- [298] Marinus J, Ramaker C, van Hilten JJ, Stiggelbout AM. Health related quality of life in Parkinson's disease: A systematic review of disease specific instruments. *J Neurol Neurosurg Psychiatry* 2002;72:241-248.
- [299] Marks M, Schoones JW, Kolling C, Herren DB, Goldhahn J, Vliet Vlieland TP. Outcome measures and their measurement properties for trapeziometacarpal osteoarthritis: a systematic literature review. *J Hand Surg Eur Vol* 2013;38:822-838.
- [300] Marques A, Oliveira A, Jacome C. Computerized adventitious respiratory sounds as outcome measures for respiratory therapy: a systematic review. *Respir Care* 2014;59:765-776.
- [301] Mathers SA, Chesson RA, Proctor JM, McKenzie GA, Robertson E. The use of patient-centered outcome measures in radiology: a systematic review. *Acad Radiol* 2006;13:1394-1404.
- [302] Matteson KA, Boardman LA, Munro MG, Clark MA. Abnormal uterine bleeding: a review of patient-based outcome measures. *Fertil Steril* 2009;92:205-216.

- [303] Matza LS, Zyczynski TM, Bavendam T. A review of quality-of-life questionnaires for urinary incontinence and overactive bladder: which ones to use and why? *Curr Urol Rep* 2004;5:336-342.
- [304] May S, Chance-Larsen K, Littlewood C, Lomas D, Saad M. Reliability of physical examination tests used in the assessment of patients with shoulder problems: a systematic review. *Physiotherapy* 2010;96:179-190.
- [305] Mazzone ES, Vasco G, Palermo C et al. A critical review of functional assessment tools for upper limbs in Duchenne muscular dystrophy. *Dev Med Child Neurol* 2012;54:879-885.
- [306] McCauley RJ, Strand EA. A review of standardized tests of nonverbal oral and speech motor performance in children. *Am J Speech Lang Pathol* 2008;17:81-91.
- [307] McConnell K, Johnston L, Kerr C. Upper limb function and deformity in cerebral palsy: A review of classification systems. *Dev Med Child Neurol* 2011;53:799-805.
- [308] McCrea GL, Miaskowski C, Stotts NA, Macera L, Hart SA, Varma MG. Review article: self-report measures to evaluate constipation. *Aliment Pharmacol Ther* 2008;27:638-648.
- [309] McCrory DC, Coeytaux RR, Yancy WS et al. 2013.
- [310] McGee HM, Hevey D, Horgan JH. Psychosocial outcome assessments for use in cardiac rehabilitation service evaluation: a 10-year systematic review. *Soc Sci Med* 1999;48:1373-1393.
- [311] McKibbin CL, Brekke JS, Sires D, Jeste DV, Patterson TL. Direct assessment of functional abilities: Relevance to persons with schizophrenia. *Schizophr Res* 2004;72:53-67.
- [312] McVerry F, Liebeskind DS, Muir KW. Systematic review of methods for assessing leptomeningeal collateral flow. *AJNR Am J Neuroradiol* 2012;33:576-582.
- [313] Meades R, Ayers S. Anxiety measures validated in perinatal populations: a systematic review. *J Affect Disord* 2011;133:1-15.
- [314] Michalak EE, Yatham LN, Lam RW. Quality of life in bipolar disorder: a review of the literature. *Health Qual Life Outcomes* 2005;3:72.
- [315] Michener LA, Leggin BG. A review of self-report scales for the assessment of functional limitation and disability of the shoulder. *J Hand Ther* 2001;14:68-76.
- [316] Michiels S, De HW, Truijen S, November D, Wuyts F, Van de HP. The assessment of cervical sensory motor control: A systematic review focusing on measuring methods and their clinimetric characteristics. *Gait Posture* 2013;38:1-7.
- [317] Mijnders DM, Meijers JM, Halfens RJ et al. Validity and reliability of tools to measure muscle mass, strength, and physical performance in community-dwelling older people: a systematic review. *J Am Med Dir Assoc* 2013;14:170-178.
- [318] Millard RW, Beattie PF, Jones RH. A comprehensive review of questionnaires to evaluate chronic pain- related disability. *Crit Rev Phys Rehabil Med* 1997;9:35-52.

- [319] Minton O, Stone P. A systematic review of the scales used for the measurement of cancer-related fatigue (CRF). *Ann Oncol* 2009;20:17-25.
- [320] Misailidou V, Malliou P, Beneka A, Karagiannidis A, Godolias G. Assessment of patients with neck pain: a review of definitions, selection criteria, and measurement tools. *J Chiropr Med* 2010;9:49-59.
- [321] Mogos MF, August EM, Salinas-Miranda AA, Sultan DH, Salihi HM. A Systematic Review of Quality of Life Measures in Pregnant and Postpartum Mothers. *Appl Res Qual Life* 2013;8:219-250.
- [322] Mollayeva T, Kendzerska T, Colantonio A. Self-report instruments for assessing sleep dysfunction in an adult traumatic brain injury population: a systematic review. *Sleep Med Rev* 2013;17:411-423.
- [323] Moore DJ, Palmer BW, Patterson TL, Jeste DV. A review of performance-based measures of functional living skills. *J Psychiatr Res* 2007;41:97-118.
- [324] Moore DS, Ellis R. Measurement of fall-related psychological constructs among independent-living older adults: a review of the research literature. *Aging Ment Health* 2008;12:684-699.
- [325] Moreau CE, Green BN, Johnson CD, Moreau SR. Isometric back extension endurance tests: a review of the literature. *J Manipulative Physiol Ther* 2001;24:110-122.
- [326] Morley AD, Sharp HR. A review of sinonasal outcome scoring systems - which is best? *Clin Otolaryngol* 2006;31:103-109.
- [327] Morris C, Kurinczuk JJ, Fitzpatrick R. Child or family assessed measures of activity performance and participation for children with cerebral palsy: a structured review. *Child Care Health Dev* 2005;31:397-407.
- [328] Mortenson WB, Miller WC, Auger C. Issues for the selection of wheelchair-specific activity and participation outcome measures: a review. *Arch Phys Med Rehabil* 2008;89:1177-1186.
- [329] Mosli MH, Feagan BG, Sandborn WJ et al. Histologic evaluation of ulcerative colitis: a systematic review of disease activity indices. *Inflamm Bowel Dis* 2014;20:564-575.
- [330] Mota DD, Pimenta CA. Self-report instruments for fatigue assessment: a systematic review. *Res Theory Nurs Pract* 2006;20:49-78.
- [331] Murphy DR, Lopez M. Neck and back pain specific outcome assessment questionnaires in the Spanish language: a systematic literature review. *Spine J* 2013;13:1667-1674.
- [332] Mushtaq N, Beebe LA. A review of the validity and reliability of smokeless tobacco dependence measures. *Addict Behav* 2011.
- [333] Muzzatti B, Annunziata MA. Assessing quality of life in long-term cancer survivors: a review of available tools. *Support Care Cancer* 2013;21:3143-3152.
- [334] Naal FD, Impellizzeri FM, Rippstein PF. Which Are the Most Frequently Used Outcome Instruments in Studies on Total Ankle Arthroplasty? *Clin Orthop Relat Res* 2009.

- [335] Namjoshi MA, Buesching DP. A review of the health-related quality of life literature in bipolar disorder. *Qual Life Res* 2001;10:105-115.
- [336] Nast I, Bolten M, Meinlschmidt G, Hellhammer DH. How to Measure Prenatal Stress? A Systematic Review of Psychometric Instruments to Assess Psychosocial Stress during Pregnancy. *Paediatr Perinat Epidemiol* 2013;27:313-322.
- [337] Neelakantan D, Omojole F, Clark TJ, Gupta JK, Khan KS. Quality of life instruments in studies of chronic pelvic pain: a systematic review. *J Obstet Gynaecol* 2004;24:851-858.
- [338] Nelson CJ, Cho C, Berk AR, Holland J, Roth AJ. Are gold standard depression measures appropriate for use in geriatric cancer patients? A systematic evaluation of self-report depression instruments used with geriatric, cancer, and geriatric cancer samples. *J Clin Oncol* 2010;28:348-356.
- [339] Noben CY, Evers SM, Nijhuis FJ, de Rijk AE. Quality appraisal of generic self-reported instruments measuring health-related productivity changes: a systematic review. *BMC Public Health* 2014;14:115.
- [340] Noonan VK, Kopec JA, Noreau L, Singer J, Dvorak MF. A review of participation instruments based on the International Classification of Functioning, Disability and Health. *Disabil Rehabil* 2009;1-19.
- [341] Noonan VK, Miller WC, Noreau L. A review of instruments assessing participation in persons with spinal cord injury. *Spinal Cord* 2009;47:435-446.
- [342] O'Meara SM, Bland JM, Dumville JC, Cullum NA. A systematic review of the performance of instruments designed to measure the dimensions of pressure ulcers. *Wound Repair Regen* 2012;20:263-276.
- [343] Odom-Forren J. Measurement of postdischarge nausea and vomiting for ambulatory surgery patients: a critical review and analysis. *J Perianesth Nurs* 2011;26:372-383.
- [344] Ojo B, Genden EM, Teng MS, Milbury K, Misiukiewicz KJ, Badr H. A systematic review of head and neck cancer quality of life assessment instruments. *Oral Oncol* 2012;48:923-937.
- [345] Okamoto T, Shimosuma K, Katsumata N et al. Measuring quality of life in patients with breast cancer: a systematic review of reliable and valid instruments available in Japan. *Breast Cancer* 2003;10:204-213.
- [346] Olde Rikkert MG, Tona KD, Janssen L et al. Validity, reliability, and feasibility of clinical staging scales in dementia: a systematic review. *Am J Alzheimers Dis Other Demen* 2011;26:357-365.
- [347] Oliveira CC, Lee A, Granger CL, Miller KJ, Irving LB, Denehy L. Postural control and fear of falling assessment in people with chronic obstructive pulmonary disease: a systematic review of instruments, international classification of functioning, disability and health linkage, and measurement properties. *Arch Phys Med Rehabil* 2013;94:1784-1799.
- [348] Oppewal A, Hilgenkamp TI, van WR, Evenhuis HM. Cardiorespiratory fitness in individuals with intellectual disabilities--a review. *Res Dev Disabil* 2013;34:3301-3316.

- [349] Osborne TR, Ramsenthaler C, Siegert RJ, Edmonds PM, Schey SA, Higginson IJ. What issues matter most to people with multiple myeloma and how well are we measuring them? A systematic review of quality of life tools. *Eur J Haematol* 2012;89:437-457.
- [350] Oude Voshaar MA, ten Klooster PM, Taal E, van de Laar MA. Measurement properties of physical function scales validated for use in patients with rheumatoid arthritis: a systematic review of the literature. *Health Qual Life Outcomes* 2011;9:99.
- [351] Paalman CH, Terwee CB, Jansma EP, Jansen LM. Instruments measuring externalizing mental health problems in immigrant ethnic minority youths: a systematic review of measurement properties. *PLoS One* 2013;8:e63109.
- [352] Packham T, MacDermid JC, Henry J, Bain J. A systematic review of psychometric evaluations of outcome assessments for complex regional pain syndrome. *Disabil Rehabil* 2012;34:1059-1069.
- [353] Pakulis PJ, Young NL, Davis AM. Evaluating physical function in an adolescent bone tumor population. *Pediatr Blood Cancer* 2005;45:635-643.
- [354] Pal DK. Quality of life assessment in children: a review of conceptual and methodological issues in multidimensional health status measures. *J Epidemiol Community Health* 1996;50:391-396.
- [355] Palese A, Tameni A, Ambrosi E et al. Clinical assessment instruments validated for nursing practice in the Italian context: a systematic review of the literature. *Ann Ist Super Sanita* 2014;50:67-76.
- [356] Palfreyman SJ, Tod AM, Brazier JE, Michaels JA. A systematic review of health-related quality of life instruments used for people with venous ulcers: an assessment of their suitability and psychometric properties. *J Clin Nurs* 2010;19:2673-2703.
- [357] Pallis AG, Mouzas IA. Instruments for quality of life assessment in patients with inflammatory bowel disease. *Dig Liver Dis* 2000;32:682-688.
- [358] Paltzer J, Barker E, Witt WP. Measuring the health-related quality of life (HRQoL) of young children in resource-limited settings: a review of existing measures. *Qual Life Res* 2013;22:1177-1187.
- [359] Park T, Reilly-Spong M, Gross CR. Mindfulness: a systematic review of instruments to measure an emergent patient-reported outcome (PRO). *Qual Life Res* 2013;22:2639-2659.
- [360] Payne K, Nicholls S, McAllister M, Macleod R, Donnai D, Davies LM. Outcome measurement in clinical genetics services: a systematic review of validated measures. *Value Health* 2008;11:497-508.
- [361] Pearce NJ, Sanson-Fisher R, Campbell HS. Measuring quality of life in cancer survivors: a methodological review of existing scales. *Psychooncology* 2008;17:629-640.
- [362] Pearson EJ, Todd JG, Fitcher JM. How can occupational therapists measure outcomes in palliative care? *Palliat Med* 2007;21:477-485.
- [363] Pearson EJ. Comfort and its measurement - a literature review. *Disabil Rehabil Assist Technol* 2009;4:301-310.

- [364] Peer JE, Tenhula W. Assessment of vocational functioning in serious mental illness: A review of situational assessment and performance based measures. *J Vocat Rehabil* 2010;32:175-189.
- [365] Peer MA, Lane J. The Knee Injury and Osteoarthritis Outcome Score (KOOS): a review of its psychometric properties in people undergoing total knee arthroplasty. *J Orthop Sports Phys Ther* 2013;43:20-28.
- [366] Perales J, Cosco TD, Stephan BC, Haro JM, Brayne C. Health-related quality-of-life instruments for Alzheimer's disease and mixed dementia. *Int Psychogeriatr* 2013;25:691-706.
- [367] Perpina-Galvan J, Richart-Martinez M. Scales for evaluating self-perceived anxiety levels in patients admitted to intensive care units: a review. *Am J Crit Care* 2009;18:571-580.
- [368] Peterson DA, Berque P, Jabusch HC, Altenmuller E, Frucht SJ. Rating scales for musician's dystonia: the state of the art. *Neurology* 2013;81:589-598.
- [369] Phillips RL, Olds T, Boshoff K, Lane AE. Measuring activity and participation in children and adolescents with disabilities: a literature review of available instruments. *Aust Occup Ther J* 2013;60:288-300.
- [370] Pickard AS, Topfer LA, Feeny DH. A structured review of studies on health-related quality of life and economic evaluation in pediatric acute lymphoblastic leukemia. *J Natl Cancer Inst Monogr* 2004;102-125.
- [371] Pickens S, Ostwald SK, Murphy-Pace K, Bergstrom N. Systematic review of current executive function measures in adults with and without cognitive impairments. *Int J Evid Based Healthc* 2010;8:110-125.
- [372] Pietrobon R, Coeytaux RR, Carey TS, Richardson WJ, DeVellis RF. Standard scales for measurement of functional outcome for cervical pain or dysfunction: a systematic review. *Spine* 2002;27:515-522.
- [373] Platz T, Eickhof C, Nuyens G, Vuadens P. Clinical scales for the assessment of spasticity, associated phenomena, and function: a systematic review of the literature. *Disabil Rehabil* 2005;27:7-18.
- [374] Pons C, Remy-Neris O, Medee B, Brochard S. Validity and reliability of radiological methods to assess proximal hip geometry in children with cerebral palsy: a systematic review. *Dev Med Child Neurol* 2013;55:1089-1102.
- [375] Poolsup N, Li Wan PA, Oyebode F. Measuring mania and critical appraisal of rating scales. *J Clin Pharm Ther* 1999;24:433-443.
- [376] Porritt J, Buchanan H, Hall M, Gilchrist F, Marshman Z. Assessing children's dental anxiety: a systematic review of current measures. *Community Dent Oral Epidemiol* 2013;41:130-142.
- [377] Prasad M, Wahlqvist P, Shikhar R, Shih YC. A review of self-report instruments measuring health-related work productivity: a patient-reported outcomes perspective. *Pharmacoeconomics* 2004;22:225-244.

- [378] Pudas-Tahka SM, Axelin A, Aantaa R, Lund V, Salanterä S. Pain assessment tools for unconscious or sedated intensive care patients: a systematic review. *J Adv Nurs* 2009;65:946-956.
- [379] Puga VO, Lopes AD, Costa LO. Assessment of cross-cultural adaptations and measurement properties of self-report outcome measures relevant to shoulder disability in Portuguese: a systematic review. *Rev Bras Fisioter* 2012;16:85-93.
- [380] Pullmer R, Linden W, Rnic K, Vodermaier A. Measuring symptoms in gastrointestinal cancer: a systematic review of assessment instruments. *Support Care Cancer* 2014.
- [381] Pusic A, Liu JC, Chen CM et al. A systematic review of patient-reported outcome measures in head and neck cancer surgery. *Otolaryngol Head Neck Surg* 2007;136:525-535.
- [382] Pusic AL, Chen CM, Cano S et al. Measuring quality of life in cosmetic and reconstructive breast surgery: a systematic review of patient-reported outcomes instruments. *Plast Reconstr Surg* 2007;120:823-837.
- [383] Puzenat E, Bronsard V, Prey S et al. What are the best outcome measures for assessing plaque psoriasis severity? A systematic review of the literature. *J Eur Acad Dermatol Venereol* 2010;24 Suppl 2:10-16.
- [384] Quittner AL, Modi A, Cruz I. Systematic review of health-related quality of life measures for children with respiratory conditions. *Paediatr Respir Rev* 2008;9:220-232.
- [385] Rajmil L, Roizen M, Psy AU, Hidalgo-Rasmussen C, Fernandez G, Dapuerto JJ. Health-related quality of life measurement in children and adolescents in Ibero-American countries, 2000 to 2010. *Value Health* 2012;15:312-322.
- [386] Ramaker C, Marinus J, Stiggelbout AM, Van Hilten BJ. Systematic evaluation of rating scales for impairment and disability in Parkinson's disease. *Mov Disord* 2002;17:867-876.
- [387] Ramelet AS, Abu-Saad HH, Rees N, McDonald S. The challenges of pain measurement in critically ill young children: a comprehensive review. *Aust Crit Care* 2004;17:33-45.
- [388] Rannard A, Buck D, Jones DE, James OF, Jacoby A. Assessing quality of life in primary biliary cirrhosis. *Clin Gastroenterol Hepatol* 2004;2:164-174.
- [389] Rao PK, Davies M, Price PE, Torkington J. Crohn's disease: systematic review of assessment of disease severity and its relevance to surgery. *Colorectal Dis* 2007;9:678-685.
- [390] Ratcliff K, Farhall J, Shawyer F. Auditory hallucinations: a review of assessment tools. *Clin Psychol Psychother* 2011;18:524-534.
- [391] Ravens-Sieberer U, Erhart M, Wille N, Wetzel R, Nickel J, Bullinger M. Generic health-related quality-of-life assessment in children and adolescents: methodological considerations. *Pharmacoeconomics* 2006;24:1199-1220.
- [392] Ray-Barruel G, Polit DF, Murfield JE, Rickard CM. Infusion phlebitis assessment measures: a systematic review. *J Eval Clin Pract* 2014;20:191-202.

- [393] Razvi S, McMillan CV, Weaver JU. Instruments used in measuring symptoms, health status and quality of life in hypothyroidism: a systematic qualitative review. *Clin Endocrinol (Oxf)* 2005;63:617-624.
- [394] Reavey PL, Klassen AF, Cano SJ et al. Measuring quality of life and patient satisfaction after body contouring: a systematic review of patient-reported outcome measures. *Aesthet Surg J* 2011;31:807-813.
- [395] Rhee JS, McMullin BT. Outcome measures in facial plastic surgery: patient-reported and clinical efficacy measures. *Arch Facial Plast Surg* 2008;10:194-207.
- [396] Riemsma RP, Forbes CA, Glanville JM, Eastwood AJ, Kleijnen J. General health status measures for people with cognitive impairment: learning disability and acquired brain injury. *Health Technol Assess* 2001;5:1-100.
- [397] Ringash J, Bezjak A. A structured review of quality of life instruments for head and neck cancer patients. *Head Neck* 2001;23:201-213.
- [398] Ritchie L, Wright-St Clair VA, Keogh J, Gray M. Community integration after traumatic brain injury: a systematic review of the clinical implications of measurement and service provision for older adults. *Arch Phys Med Rehabil* 2014;95:163-174.
- [399] Ritmala-Castren M, Lakanmaa RL, Virtanen I, Leino-Kilpi H. Evaluating adult patients' sleep: an integrative literature review in critical care. *Scand J Caring Sci* 2013.
- [400] Rizvi SJ, Yeung NW, Kennedy SH. Instruments to measure sexual dysfunction in community and psychiatric populations. *J Psychosom Res* 2011;70:99-109.
- [401] Rnic K, Linden W, Tudor I, Pullmer R, Vodermaier A. Measuring symptoms in localized prostate cancer: a systematic review of assessment instruments. *Prostate Cancer Prostatic Dis* 2013;16:111-122.
- [402] Robertson SJ, Burnett AF, Cochrane J. Tests examining skill outcomes in sport: a systematic review of measurement properties and feasibility. *Sports Med* 2014;44:501-518.
- [403] Robinson BR, Berube M, Barr J, Riker R, Gelinas C. Psychometric analysis of subjective sedation scales in critically ill adults. *Crit Care Med* 2013;41:S16-S29.
- [404] Roncada C, Mattiello R, Pitrez PM, Sarria EE. Specific instruments to assess quality of life in children and adolescents with asthma. *J Pediatr (Rio J)* 2013;89:217-225.
- [405] Rouleau DM, Faber K, MacDermid JC. Systematic review of patient-administered shoulder functional scores on instability. *J Shoulder Elbow Surg* 2010;19:1121-1128.
- [406] Rydwick E, Bergland A, Forsen L, Frandin K. Investigation into the reliability and validity of the measurement of elderly people's clinical walking speed: A systematic review. *Physiother Theory Pract* 2011.
- [407] Sabharwal S, Kumar A. Methods for assessing leg length discrepancy. *Clin Orthop Relat Res* 2008;466:2910-2922.
- [408] Saether R, Helbostad JL, Riphagen II, Vik T. Clinical tools to assess balance in children and adults with cerebral palsy: a systematic review. *Dev Med Child Neurol* 2013;55:988-999.

- [409] Sakakibara BM, Miller WC, Orenczuk SG, Wolfe DL. A systematic review of depression and anxiety measures used with individuals with spinal cord injury. *Spinal Cord* 2009;47:841-851.
- [410] Sakzewski L, Boyd R, Ziviani J. Clinimetric properties of participation measures for 5- to 13-year-old children with cerebral palsy: a systematic review. *Dev Med Child Neurol* 2007;49:232-240.
- [411] Salek SS, Walker MD, Bayer AJ. A review of quality of life in Alzheimer's disease. Part 2: Issues in assessing drug effects. *Pharmacoeconomics* 1998;14:613-627.
- [412] Salerno DF, Copley-Merriman C, Taylor TN, Shinogle J, Schulz RM. A review of functional status measures for workers with upper extremity disorders. *Occup Environ Med* 2002;59:664-670.
- [413] Saltzherr MS, Selles RW, Bierma-Zeinstra SM et al. Metric properties of advanced imaging methods in osteoarthritis of the hand: a systematic review. *Ann Rheum Dis* 2013.
- [414] Salvilla SA, Dubois AE, Flokstra-de Blok BM et al. Disease-specific health-related quality of life instruments for IgE-mediated food allergy. *Allergy* 2014;69:834-844.
- [415] Samaan MA, Mosli MH, Sandborn WJ et al. A Systematic Review of the Measurement of Endoscopic Healing in Ulcerative Colitis Clinical Trials: Recommendations and Implications for Future Research. *Inflamm Bowel Dis* 2014.
- [416] Sambandam SN, Priyanka P, Gul A, Ilango B. Critical analysis of outcome measures used in the assessment of carpal tunnel syndrome. *Int Orthop* 2008;32:497-504.
- [417] Saute JA, Donis KC, Serrano-Munuera C et al. Ataxia Rating Scales-Psychometric Profiles, Natural History and Their Application in Clinical Trials. *Cerebellum* 2011.
- [418] Sawatzky B, Bishop CM, Miller WC. Classification and measurement of pain in the spinal cord-injured population. *Spinal Cord* 2008;46:2-10.
- [419] Schellingerhout JM, Heymans MW, Verhagen AP, de Vet HC, Koes BW, Terwee CB. Measurement properties of translated versions of neck-specific questionnaires: a systematic review. *BMC Med Res Methodol* 2011;11:87.
- [420] Schellingerhout JM, Verhagen AP, Heymans MW, Koes BW, de Vet HC, Terwee CB. Measurement properties of disease-specific questionnaires in patients with neck pain: a systematic review. *Qual Life Res* 2011.
- [421] Schmidt LJ, Garratt AM, Fitzpatrick R. Child/parent-assessed population health outcome measures: a structured review. *Child Care Health Dev* 2002;28:227-237.
- [422] Schmidt S, Ferrer M, Gonzalez M et al. Evaluation of shoulder-specific patient-reported outcome measures: a systematic and standardized comparison of available evidence. *J Shoulder Elbow Surg* 2014;23:434-444.
- [423] Schmidt S, Garin O, Pardo Y et al. Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. *Qual Life Res* 2014.
- [424] Schmit KM, Coeytaux RR, Goode AP et al. Evaluating cough assessment tools: a systematic review. *Chest* 2013;144:1819-1826.

- [425] Schmitt J, Langan S, Williams HC. What are the best outcome measurements for atopic eczema? A systematic review. *J Allergy Clin Immunol* 2007;120:1389-1398.
- [426] Schmitt J, Langan S, Deckert S et al. Assessment of clinical signs of atopic dermatitis: a systematic review and recommendation. *J Allergy Clin Immunol* 2013;132:1337-1347.
- [427] Schnur JB, Love B, Scheckner BL, Green S, Wernicke AG, Montgomery GH. A Systematic Review of Patient-Rated Measures of Radiodermatitis in Breast Cancer Radiotherapy. *Am J Clin Oncol* 2010.
- [428] Schoneveld K, Wittink H, Takken T. Clinimetric evaluation of measurement tools used in hand therapy to assess activity and participation. *J Hand Ther* 2009;22:221-235.
- [429] Schrag A, Barone P, Brown RG et al. Depression rating scales in Parkinson's disease: critique and recommendations. *Mov Disord* 2007;22:1077-1092.
- [430] Schuurmans MJ, Deschamps PI, Markham SW, Shortridge-Baggett LM, Duursma SA. The measurement of delirium: review of scales. *Res Theory Nurs Pract* 2003;17:207-224.
- [431] Seel RT, Sherer M, Whyte J et al. Assessment scales for disorders of consciousness: evidence-based recommendations for clinical practice and research. *Arch Phys Med Rehabil* 2010;91:1795-1813.
- [432] Seignourel PJ, Kunik ME, Snow L, Wilson N, Stanley M. Anxiety in dementia: A critical review. *Clin Psychol Rev* 2008;28:1071-1082.
- [433] Sellers D, Pennington L, Mandy A, Morris C. A systematic review of ordinal scales used to classify the eating and drinking abilities of individuals with cerebral palsy. *Dev Med Child Neurol* 2014;56:313-322.
- [434] Seron BB, Greguol M. Assessment protocols of maximum oxygen consumption in young people with Down syndrome--a review. *Res Dev Disabil* 2014;35:676-685.
- [435] Severn P, Fraser S, Finch T, May C. Which quality of life score is best for glaucoma patients and why? *BMC Ophthalmol* 2008;8:2.
- [436] Seyidova-Khoshknabi D, Davis MP, Walsh D. Review article: a systematic review of cancer-related fatigue measurement questionnaires. *Am J Hosp Palliat Care* 2011;28:119-129.
- [437] Shanks V, Williams J, Leamy M, Bird VJ, Le BC, Slade M. Measures of personal recovery: a systematic review. *Psychiatr Serv* 2013;64:974-980.
- [438] Shin H, Shin HS. Measurement of quality of life in menopausal women: a systematic review. *West J Nurs Res* 2012;34:475-503.
- [439] Shultz S, Olszewski A, Ramsey O, Schmitz M, Wyatt V, Cook C. A systematic review of outcome tools used to measure lower leg conditions. *Int J Sports Phys Ther* 2013;8:838-848.
- [440] Sienaert P, Rooseleer J, De FJ. Measuring catatonia: a systematic review of rating scales. *J Affect Disord* 2011;135:1-9.

- [441] Sikkes SA, de Lange-de Klerk ES, Pijnenburg YA, Scheltens P, Uitdehaag BM. A systematic review of Instrumental Activities of Daily Living scales in dementia: room for improvement. *J Neurol Neurosurg Psychiatry* 2009;80:7-12.
- [442] Silva DR, Ribeiro AS, Pavao FH et al. Validity of the methods to assess body fat in children and adolescents using multi-compartment models as the reference method: a systematic review. *Rev Assoc Med Bras* 2013;59:475-486.
- [443] Silva PF, Quintino LF, Franco J, Faria CD. Measurement properties and feasibility of clinical tests to assess sit-to-stand/stand-to-sit tasks in subjects with neurological disease: a systematic review. *Braz J Phys Ther* 2014;18:99-110.
- [444] Singh A, Tetreault L, Casey A, Laing R, Statham P, Fehlings MG. A summary of assessment tools for patients suffering from cervical spondylotic myelopathy: a systematic review on validity, reliability and responsiveness. *Eur Spine J* 2013.
- [445] Sivan M, O'Connor RJ, Makower S, Levesley M, Bhakta B. Systematic review of outcome measures used in the evaluation of robot-assisted upper limb exercise in stroke. *J Rehabil Med* 2011;43:181-189.
- [446] Sklar M, Groessl EJ, O'Connell M, Davidson L, Aarons GA. Instruments for measuring mental health recovery: a systematic review. *Clin Psychol Rev* 2013;33:1082-1095.
- [447] Slater LM, Hillier SL, Civetta LR. The clinimetric properties of performance-based gross motor tests used for children with developmental coordination disorder: a systematic review. *Pediatr Phys Ther* 2010;22:170-179.
- [448] Smeets SM, Ponds RW, Verhey FR, van Heugten CM. Psychometric properties and feasibility of instruments used to assess awareness of deficits after acquired brain injury: a systematic review. *J Head Trauma Rehabil* 2012;27:433-442.
- [449] Smith M. Pain assessment in nonverbal older adults with advanced dementia. *Perspect Psychiatr Care* 2005;41:99-113.
- [450] Smith SC, Lamping DL, Maclaine GD. Measuring health-related quality of life in diabetic peripheral neuropathy: a systematic review. *Diabetes Res Clin Pract* 2012;96:261-270.
- [451] Smith T, Hameed Y, Cross J, Sahota O, Fox C. Assessment of people with cognitive impairment and hip fracture: a systematic review and meta-analysis. *Arch Gerontol Geriatr* 2013;57:117-126.
- [452] Smith TO, Davies L, O'Driscoll ML, Donell ST. An evaluation of the clinical tests and outcome measures used to assess patellar instability. *Knee* 2008;15:255-262.
- [453] Smith TO, Davies L, Toms AP, Hing CB, Donell ST. The reliability and validity of radiological assessment for patellar instability. A systematic review and meta-analysis. *Skeletal Radiol* 2011;40:399-414.
- [454] Solans M, Pane S, Estrada MD et al. Health-related quality of life measurement in children and adolescents: a systematic review of generic and disease-specific instruments. *Value Health* 2008;11:742-764.
- [455] Spanjer J, Groothoff JW, Brouwer S. Instruments used to assess functional limitations in workers applying for disability benefit: a systematic review. *Disabil Rehabil* 2011;33:2143-2150.

- [456] Spector JT, Brandfonbrener AG. Methods of evaluation of musician's dystonia: critique of measurement tools. *Mov Disord* 2007;22:309-312.
- [457] Speyer R, Cordier R, Kertscher B, Heijnen BJ. Psychometric Properties of Questionnaires on Functional Health Status in Oropharyngeal Dysphagia: A Systematic Literature Review. *Biomed Res Int* 2014;2014:458678.
- [458] Spittle AJ, Doyle LW, Boyd RN. A systematic review of the clinimetric properties of neuromotor assessments for preterm infants during the first year of life. *Dev Med Child Neurol* 2008;50:254-266.
- [459] Spruyt K, Gozal D. Pediatric sleep questionnaires as diagnostic or epidemiological tools: a review of currently available instruments. *Sleep Med Rev* 2011;15:19-32.
- [460] Spuls PI, Lecluse LL, Poulsen ML, Bos JD, Stern RS, Nijsten T. How good are clinical severity and outcome measures for psoriasis?: quantitative evaluation in a systematic review. *J Invest Dermatol* 2010;130:933-943.
- [461] Stafford M, Gavriel S, Lloyd A. Patient-reported outcomes measurements in epilepsy. *Expert Rev Pharmacoecon Outcomes Res* 2007;7:373-384.
- [462] Stanghellini V, Armstrong D, Monnikes H, Bardhan KD. Systematic review: do we need a new gastro-oesophageal reflux disease questionnaire? *Aliment Pharmacol Ther* 2004;19:463-479.
- [463] Stanghellini V, Armstrong D, Monnikes H, Bardhan KD. Systematic review: do we need a new gastro-oesophageal reflux disease questionnaire? *Digestion* 2007;75 Suppl 1:3-16.
- [464] Stephensen D, Drechsler WI, Scott OM. Outcome measures monitoring physical function in children with haemophilia: a systematic review. *Haemophilia* 2014;20:306-321.
- [465] Stevelink SA, van Brakel WH. The cross-cultural equivalence of participation instruments: a systematic review. *Disabil Rehabil* 2013;35:1256-1268.
- [466] Stinson JN, Kavanagh T, Yamada J, Gill N, Stevens B. Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents. *Pain* 2006;125:143-157.
- [467] Stolee P, Hillier LM, Esbaugh J, Bol N, McKellar L, Gauthier N. Instruments for the assessment of pain in older persons with cognitive impairment. *J Am Geriatr Soc* 2005;53:319-326.
- [468] Stover CS, Berkowitz S. Assessing violence exposure and trauma symptoms in young children: a critical review of measures. *J Trauma Stress* 2005;18:707-717.
- [469] Stuart S, Alcock L, Galna B, Lord S, Rochester L. The measurement of visual sampling during real-world activity in Parkinson's disease and healthy controls: a structured literature review. *J Neurosci Methods* 2014;222:175-188.
- [470] Sun Y, Sturmer T, Gunther KP, Brenner H. Reliability and validity of clinical outcome measurements of osteoarthritis of the hip and knee--a review of the literature. *Clin Rheumatol* 1997;16:185-198.
- [471] Sweetland AC, Belkin GS, Verdelli H. MEASURING DEPRESSION AND ANXIETY IN SUB-SAHARAN AFRICA. *Depress Anxiety* 2013.

- [472] Swinkels RA, Oostendorp RA, Bouter LM. Which are the best instruments for measuring disabilities in gait and gait-related activities in patients with rheumatic disorders. *Clin Exp Rheumatol* 2004;22:25-33.
- [473] Swinkels RA, Bouter LM, Oostendorp RA, van den Ende CH. Impairment measures in rheumatic disorders for rehabilitation medicine and allied health care: a systematic review. *Rheumatol Int* 2005;25:501-512.
- [474] Swinkels RA, Dijkstra PU, Bouter LM. Reliability, validity and responsiveness of instruments to assess disabilities in personal care in patients with rheumatic disorders. A systematic review. *Clin Exp Rheumatol* 2005;23:71-79.
- [475] Swinkels RA, Bouter LM, Oostendorp RA, Swinkels-Meewisse IJ, Dijkstra PU, de Vet HC. Construct validity of instruments measuring impairments in body structures and function in rheumatic disorders: which constructs are selected for validation? A systematic review. *Clin Exp Rheumatol* 2006;24:93-102.
- [476] Symonds T. A review of condition-specific instruments to assess the impact of urinary incontinence on health-related quality of life. *Eur Urol* 2003;43:219-225.
- [477] Szende A, Schramm W, Flood E et al. Health-related quality of life assessment in adult haemophilia patients: a systematic review and evaluation of instruments. *Haemophilia* 2003;9:678-687.
- [478] Tadic V, Hogan A, Sobti N, Knowles RL, Rahi JS. Patient-reported outcome measures (PROMs) in paediatric ophthalmology: a systematic review. *Br J Ophthalmol* 2013;97:1369-1381.
- [479] Taylor A, Deb S, Unwin G. Scales for the identification of adults with attention deficit hyperactivity disorder (ADHD): A systematic review. *Res Dev Disabil* 2011;32:924-938.
- [480] Terwee CB, Mokkink LB, Steultjens MP, Dekker J. Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. *Rheumatology (Oxford)* 2006.
- [481] Terwee CB, Bouwmeester W, van Elstrand SL, de Vet HC, Dekker J. Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. *Osteoarthritis Cartilage* 2011;19:620-633.
- [482] The B, Reininga IH, El MM, Eygendaal D. Elbow-specific clinical rating systems: extent of established validity, reliability, and responsiveness. *J Shoulder Elbow Surg* 2013;22:1380-1394.
- [483] Thewes B, Butow P, Zachariae R, Christensen S, Simard S, Gotay C. Fear of cancer recurrence: a systematic literature review of self-report measures. *Psychooncology* 2012;21:571-587.
- [484] Thonnard JL, Penta M. Functional assessment in physiotherapy. A literature review. *Eura Medicophys* 2007;43:525-541.
- [485] Thorborg K, Roos EM, Bartels EM, Petersen J, Holmich P. Validity, reliability and responsiveness of patient-reported outcome questionnaires when assessing hip and groin disability: a systematic review. *Br J Sports Med* 2010;44:1186-1196.

- [486] Tijssen M, van CR, van MN, de VE. Patient-Reported Outcome questionnaires for hip arthroscopy: a systematic review of the psychometric evidence. *BMC Musculoskelet Disord* 2011;12:117.
- [487] Timmerman AA, Meesters CM, Speyer R, Anteunis LJ. Psychometric qualities of questionnaires for the assessment of otitis media impact. *Clin Otolaryngol* 2007;32:429-439.
- [488] Timmerman AA, Speyer R, Heijnen BJ, Klijn-Zwijnenberg IR. Psychometric characteristics of health-related quality-of-life questionnaires in oropharyngeal dysphagia. *Dysphagia* 2014;29:183-198.
- [489] Tirico PP, Stefano SC, Blay SL. Validity studies of quality of life instruments for eating disorders: systematic review of the literature. *J Nerv Ment Dis* 2010;198:854-859.
- [490] Tomlinson D, Judd P, Hendershot E, Maloney AM, Sung L. Measurement of oral mucositis in children: a review of the literature. *Support Care Cancer* 2007;15:1251-1258.
- [491] Tomlinson D, von Baeyer CL, Stinson JN, Sung L. A systematic review of faces scales for the self-report of pain intensity in children. *Pediatrics* 2010;126:e1168-e1198.
- [492] Tomlinson D, Hinds PS, Ethier MC, Ness KK, Zupanec S, Sung L. Psychometric properties of instruments used to measure fatigue in children and adolescents with cancer: a systematic review. *J Pain Symptom Manage* 2013;45:83-91.
- [493] Townsend-White C, Pham AN, Vassos MV. A systematic review of quality of life measures for people with intellectual disabilities and challenging behaviours. *J Intellect Disabil Res* 2011.
- [494] Tripop S, Pratheepawanit N, Asawaphureekorn S, Anutangkoon W, Inthayung S. Health related quality of life instruments for glaucoma: a comprehensive review. *J Med Assoc Thai* 2005;88 Suppl 9:S155-S162.
- [495] Tsai AC, Scott JA, Hung KJ et al. Reliability and validity of instruments for assessing perinatal depression in African settings: systematic review and meta-analysis. *PLoS One* 2013;8:e82521.
- [496] Tsai AC. Reliability and validity of depression assessment among persons with HIV in sub-Saharan Africa: systematic review and meta-analysis. *J Acquir Immune Defic Syndr* 2014.
- [497] Tsang KL, Wong PY, Lo SK. Assessing psychosocial well-being of adolescents: a systematic review of measuring instruments. *Child Care Health Dev* 2012;38:629-646.
- [498] Turton W. Criterion-Related Validity of Challenging Behaviour Scales: A Review of Evidence in the Literature. *J Appl Res Intellect Disabil* 2014.
- [499] Tyack Z, Simons M, Spinks A, Wasiak J. A systematic review of the quality of burn scar rating scales for clinical and research use. *Burns* 2012;38:6-18.
- [500] Tyack Z, Wasiak J, Spinks A, Kimble R, Simons M. A guide to choosing a burn scar rating scale for clinical or research use. *Burns* 2013;39:1341-1350.

- [501] Tyson S, Connell L. The psychometric properties and clinical utility of measures of walking and mobility in neurological conditions: a systematic review. *Clin Rehabil* 2009;23:1018-1033.
- [502] Tyson SF, Connell LA. How to measure balance in clinical practice. A systematic review of the psychometrics and clinical utility of measures of balance activity for neurological conditions. *Clin Rehabil* 2009;23:824-840.
- [503] Tyson SF, Brown P. How to measure pain in neurological conditions? A systematic review of psychometric properties and clinical utility of measurement tools. *Clin Rehabil* 2013;28:669-686.
- [504] Tyson SF, Brown P. How to measure fatigue in neurological conditions? A systematic review of psychometric properties and clinical utility of measures used so far. *Clin Rehabil* 2014.
- [505] Uysal-Bozkir O, Parlevliet JL, de Rooij SE. Insufficient cross-cultural adaptations and psychometric properties for many translated health assessment scales: a systematic review. *J Clin Epidemiol* 2013;66:608-618.
- [506] Vadaparampil ST, Ropka M, Stefanek ME. Measurement of psychological factors associated with genetic testing for hereditary breast, ovarian and colon cancers. *Fam Cancer* 2005;4:195-206.
- [507] Vakil NB, Halling K, Becher A, Ryden A. Systematic review of patient-reported outcome instruments for gastroesophageal reflux disease symptoms. *Eur J Gastroenterol Hepatol* 2013;25:2-14.
- [508] van de Pol RJ, van TE, Lucas C. Inter-rater reliability for measurement of passive physiological range of motion of upper extremity joints is better if instruments are used: a systematic review. *J Physiother* 2010;56:7-17.
- [509] van de Ven-Stevens LA, Munneke M, Terwee CB, Spauwen PH, van der LH. Clinimetric properties of instruments to assess activities in patients with hand injury: a systematic review of the literature. *Arch Phys Med Rehabil* 2009;90:151-169.
- [510] van de Water AT, Shields N, Taylor NF. Outcome measures in the management of proximal humeral fractures: a systematic review of their use and psychometric properties. *J Shoulder Elbow Surg* 2011;20:333-343.
- [511] van der Leeden M, Steultjens MP, Terwee CB et al. A systematic review of instruments measuring foot function, foot pain, and foot-related disability in patients with rheumatoid arthritis. *Arthritis Rheum* 2008;59:1257-1269.
- [512] van der Meer S, Trippolini MA, van der Palen J, Verhoeven J, Reneman MF. Which instruments can detect submaximal physical and functional capacity in patients with chronic nonspecific back pain? A systematic review. *Spine (Phila Pa 1976)* 2013;38:E1608-E1615.
- [513] van der Windt DA, Nagelkerke AF, Bouter LM, Dankert-Roelse JE, Veerman AJ. Clinical scores for acute asthma in pre-school children. A review of the literature. *J Clin Epidemiol* 1994;47:635-646.

- [514] van Herk R, van Dijk M, Baar FP, Tibboel D, de Wit R. Observation scales for pain assessment in older adults with cognitive impairments or communication difficulties. *Nurs Res* 2007;56:34-43.
- [515] van Korlaar I, Vossen C, Rosendaal F, Cameron L, Bovill E, Kaptein A. Quality of life in venous disease. *Thromb Haemost* 2003;90:27-35.
- [516] van Lis MS, van Asbeck FW, Post MW. Monitoring healing of pressure ulcers: a review of assessment instruments for use in the spinal cord unit. *Spinal Cord* 2010;48:92-99.
- [517] Van Mater HA, Williams JW, Coeytaux RR, Sanders GD, Kemper AR. Psychometric characteristics of outcome measures in juvenile idiopathic arthritis: A systematic review. *Arthritis Care Res (Hoboken)* 2011.
- [518] van Nieuwenhuizen C, Schene AH, Boevink WA, Wolf JR. Measuring the quality of life of clients with severe mental illness: A review of instruments. *Psychiatric Rehabilitation Journal* 1997;20:33-41.
- [519] van Oene CM, van Reij EJ, Sprangers MA, Fokkens WJ. Quality-assessment of disease-specific quality of life questionnaires for rhinitis and rhinosinusitis: a systematic review. *Allergy* 2007;62:1359-1371.
- [520] van Tuijl JH, Janssen-Potten YJ, Seele HA. Evaluation of upper extremity motor function tests in tetraplegics. *Spinal Cord* 2002;40:51-64.
- [521] van Tuyl LH, Lems WF, Boers M. Measurement of stiffness in patients with rheumatoid arthritis in low disease activity or remission: a systematic review. *BMC Musculoskeletal Disord* 2014;15:28.
- [522] van BM, van de Water AT, van dP, I. Walking tests for stroke survivors: a systematic review of their measurement properties. *Disabil Rehabil* 2012;34:2207-2221.
- [523] van TE, van de Pol RJ, Oostendorp RA, Lucas C. Inter-rater reliability for measurement of passive physiological movements in lower extremity joints is generally low: a systematic review. *J Physiother* 2010;56:223-235.
- [524] Vandebroek S, De GS, Zeyen T, Stalmans I, Dobbels F. Patient-reported outcomes (PRO's) in glaucoma: a systematic review. *Eye (Lond)* 2011;25:555-577.
- [525] Veenhof C, Bijlsma JW, van den Ende CH, van Dijk GM, Pisters MF, Dekker J. Psychometric evaluation of osteoarthritis questionnaires: a systematic review of the literature. *Arthritis Rheum* 2006;55:480-492.
- [526] Vella SL, Pai N. The measurement of burden of care in serious mental illness: a qualitative review. *Aust N Z J Psychiatry* 2013;47:222-234.
- [527] Velstra IM, Ballert CS, Cieza A. A systematic literature review of outcome measures for upper extremity function using the international classification of functioning, disability, and health as reference. *PM R* 2011;3:846-860.
- [528] Vercelli S, Ferriero G, Sartorio F, Stissi V, Franchignoni F. How to assess postsurgical scars: a review of outcome measures. *Disabil Rehabil* 2009;31:2055-2063.

- [529] Verheyden G, Nieuwboer A, Van de WA, De Weerd W. Clinical tools to measure trunk performance after stroke: a systematic review of the literature. *Clin Rehabil* 2007;21:387-394.
- [530] Vernon MK, Dugar A, Revicki D, Treglia M, Buysse D. Measurement of non-restorative sleep in insomnia: A review of the literature. *Sleep Med Rev* 2010;14:205-212.
- [531] Vieta A, Badia X, Sacristan JA. A systematic review of patient-reported and economic outcomes: Value to stakeholders in the decision-making process in patients with type 2 diabetes mellitus. *Clin Ther* 2011;33:1225-1245.
- [532] Villaverde V, Rosario MP, Loza E, Perez F. Systematic review of the value of ultrasound and magnetic resonance musculoskeletal imaging in the evaluation of response to treatment of gout. *Reumatol Clin* 2014;10:160-163.
- [533] Vreeswijk R, Timmers JF, de Jonghe JFM, Kalisvaart KJ. Assessment scales for delirium. *Aging Health* 2009;5:409-425.
- [534] Vrijman C, Homan ML, Limpens J et al. Measurement Properties of Outcome Measures for Vitiligo: A Systematic Review. *Arch Dermatol* 2012;1-8.
- [535] Waalboer-Spuij R, Nijsten TE. A review on quality of life in keratinocyte carcinoma patients. *G Ital Dermatol Venereol* 2013;148:249-254.
- [536] Wagner LV, Davids JR. Assessment tools and classification systems used for the upper extremity in children with cerebral palsy. *Clin Orthop Relat Res* 2012;470:1257-1271.
- [537] Walker MD, Salek SS, Bayer AJ. A review of quality of life in Alzheimer's disease. Part 1: Issues in assessing disease impact. *Pharmacoeconomics* 1998;14:499-530.
- [538] Wang D, Jones MH, Khair MM, Miniaci A. Patient-reported outcome measures for the knee. *J Knee Surg* 2010;23:137-151.
- [539] Watt T, Groenvold M, Rasmussen AK et al. Quality of life in patients with benign thyroid disorders. A review. *Eur J Endocrinol* 2006;154:501-510.
- [540] Weldam SW, Schuurmans MJ, Liu R, Lammers JW. Evaluation of Quality of Life instruments for use in COPD care and research: a systematic review. *Int J Nurs Stud* 2013;50:688-707.
- [541] Wells GA, Li T, Kirwan JR et al. Assessing quality of sleep in patients with rheumatoid arthritis. *J Rheumatol* 2009;36:2077-2086.
- [542] Wheelwright S, Darlington AS, Hopkinson JB, Fitzsimmons D, White A, Johnson CD. A systematic review of health-related quality of life instruments in patients with cancer cachexia. *Support Care Cancer* 2013;21:2625-2636.
- [543] Whitehead L. The measurement of fatigue in chronic illness: a systematic review of unidimensional and multidimensional fatigue measures. *J Pain Symptom Manage* 2009;37:107-128.
- [544] Whitehurst DG, Noonan VK, Dvorak MF, Bryan S. A review of preference-based health-related quality of life questionnaires in spinal cord injury research. *Spinal Cord* 2012;50:646-654.

- [545] Wigham S, McConachie H. Systematic review of the properties of tools used to measure outcomes in anxiety intervention studies for children with autism spectrum disorders. *PLoS One* 2014;9:e85268.
- [546] Williams MA, McCarthy CJ, Chorti A, Cooke MW, Gates S. A systematic review of reliability and validity studies of methods for measuring active and passive cervical range of motion. *J Manipulative Physiol Ther* 2010;33:138-155.
- [547] Williams RM, Schmuck G, Allwood S, Sanchez M, Shea R, Wark G. Psychometric evaluation of health-related work outcome measures for musculoskeletal disorders: a systematic review. *J Occup Rehabil* 2007;17:504-521.
- [548] Williamson A, Andersen M, Redman S et al. Measuring mental health in Indigenous young people: a review of the literature from 1998-2008. *Clin Child Psychol Psychiatry* 2014;19:260-272.
- [549] Wind H, Gouttebauge V, Kuijer PPFM, Frings-Dresen MHW. Assessment of functional capacity of the musculoskeletal system in the context of work, daily living, and sport: A systematic review. *J Occup Rehabil* 2005;15:253-272.
- [550] Windle G, Bennett KM, Noyes J. A methodological review of resilience measurement scales. *Health Qual Life Outcomes* 2011;9:8.
- [551] Winser SJ, Smith CM, Hale LA, Claydon LS, Whitney SL, Mehta P. Systematic review of the psychometric properties of balance measures for cerebellar ataxia. *Clin Rehabil* 2014.
- [552] Wood JM, Chapman K, Eilers J. Tools for assessing nausea, vomiting, and retching. *Cancer Nurs* 2011;34:E14-E24.
- [553] Xu J, Evans TJ, Coon C, Copley-Merriman K, Su Y. Measuring patient-reported outcomes in advanced gastric cancer. *Ecancermedicalscience* 2013;7:351.
- [554] Yancosek KE, Howell D. A narrative review of dexterity assessments. *J Hand Ther* 2009;22:258-269.
- [555] Zanolli G, Stromqvist B, Padua R, Romanini E. Lessons learned searching for a HRQoL instrument to assess the results of treatment in persons with lumbar disorders. *Spine* 2000;25:3178-3185.
- [556] Zeng YC, Ching SS, Loke AY. Quality of life measurement in women with cervical cancer: implications for Chinese cervical cancer survivors. *Health Qual Life Outcomes* 2010;8:30.
- [557] Zijlema WL, Stolk RP, Lowe B, Rief W, White PD, Rosmalen JG. How to assess common somatic symptoms in large-scale studies: A systematic review of questionnaires. *J Psychosom Res* 2013;74:459-468.
- [558] Ziviani J, Desha L, Feeney R, Boyd R. Measures of participation outcomes and environmental considerations for children with acquired brain injury: A systematic review. *Brain Impairment* 2010;11:93-112.
- [559] Zwakhalen SM, Hamers JP, Abu-Saad HH, Berger MP. Pain in elderly people with severe dementia: a systematic review of behavioural pain assessment tools. *BMC Geriatr* 2006;6:3.

[560] Zygouris S, Tsolaki M. Computerized Cognitive Testing for Older Adults: A review. *Am J Alzheimers Dis Other Demen* 2014.